


POSDC-T-PPL21-0.8 series

DC Power Cable



model

POSDC-T-PPL21-0.8 power cable **800mm** long, two angle plug 2.1x5.5x10mm

mechanical specification

| | |
|--------------------------------|---|
| <i>connector type (output)</i> | angle plug 2.1x5.5x10 mm (inner diameter / outer diameter / length) |
| <i>connector type (input)</i> | angle plug 2.1x5.5x10 mm (inner diameter / outer diameter / length) |
| <i>length</i> | 800mm |
| <i>wire diameter</i> | 2x0.35mm ² |
| <i>wire construction</i> | pure copper core, flexible, multiwire conductors |
| <i>jacket</i> | PVC - double insulation |
| <i>inner conductor</i> | Cu |
| <i>cable cross section</i> | 3.6 mm |
| <i>color of the cores</i> | black |

electrical specification

| | |
|------------------------------|-----------------|
| <i>nominal voltage</i> | 0 - 60V |
| <i>rated current</i> | 2A |
| <i>Insulation resistance</i> | >100MΩ @ 300Vdc |
| <i>Insulation thickness</i> | 0.4mm |
| <i>Wire resistance</i> | max 0.039Ω/m |
| <i>Working Temperature</i> | -20°C ÷ 80°C |

safety


| | |
|-------------|----------------|
| <i>RoHS</i> | RoHS 2015/863 |
| <i>LVD</i> | LVD 2014/35/UE |

POSDC-T-PPL21-0.8 series


DC Power Cable



mechanical specification



connection



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [DC Power Cords](#) category:

Click to view products by [POS manufacturer](#):

Other Similar products are found below :

[2R6006A20A120](#) [172-4000](#) [172-4101](#) [2J-1865A](#) [2R7006A20A120](#) [426055400-3](#) [96CB-POWER-B-1.8M2](#) [2050KH1-BK](#) [216603-0037](#)
[BXC-10567](#) [172-2555](#) [32102-022800-200-RS](#) [DC.CAB.8010.0020](#) [DC.EXT.8610.0100](#) [DC.CAB.8010.0150](#) [DC.CAB.8410.0300](#)
[DC.EXT.8610.0500](#) [DC.CAB.8410.0150](#) [DC.CAB.8610.0300](#) [DC.CAB.8610.0200](#) [DC.CAB.8210.0020](#) [CEXWD](#) [DC.CAB.8610.0500](#)
[DC.CAB.8010.0300](#) [DC.CAB.8210.0300](#) [DC.EXT.8210.0200](#) [DC.CAB.8410.0500](#) [DC.CAB.8010.0200](#) [DC.CAB.8010.0500](#)
[DC.CAB.8610.0150](#) [CEXWF](#) [CEYWG](#) [P25-TT-T050-050WH](#) [P48-C21-C100-050WH](#) [S25-TT-T050-500WH](#) [A21-TT-T050-050WH](#) [P55-](#)
[TT-C100-050WH](#) [P21-C21-C100-300WH](#) [A25-C21-C100-150WH](#) [A25-C25-C100-200WH](#) [P40-TT-T050-150WH](#) [S21-TT-C100-200WH](#)
[P55-TT-T035-050WH](#) [P48-TT-T035-050WH](#) [P13-TT-T035-150WH](#) [A25-C25-T050-200WH](#) [S21-TT-T050-300WH](#) [P55-C21-C100-050WH](#)
[A21-TT-C100-050WH](#) [A21-TT-T035-150WH](#)