




Data Sheet	AT-2441-T-HT-LW95
------------	-------------------

- Features:**
- Low profile transducer
 - Wide voltage range
 - Lead wires for easy installation


Specifications

Parameters	Values	Units
Rated Voltage	10	Vp-p
Operating Voltage Range	10~30	Vp-p
Current Draw at Rated Voltage	12	mA
Capacitance	25,000 ± 30%	pF
Minimum SPL @ 10cm	90	dBA
Resonant Frequency	4,100 ± 500	Hz
Housing Material	ABS (Black)	-
Terminal Material	Lead Wires	-
Weight	2.2	Grams
Environmental Compliances	RoHS/REACH	Ex. 7c-1
Storage Temperature	-40 ~ 95	°C
Operating Temperature	-30 ~ 85	°C


Measurement Method (10Vpp; 4.1kHz)



Typical Frequency Response (10Vpp; 4.1kHz)




Reliability Testing

Type of Test	Test Specifications
High Temperature Test	240 hours at 95°C
Low Temperature Test	240 hours at -40°C
Humidity Test	240 hours at 40°C with relative humidity at 90%
Temperature Cycle Testing	Run for 5 cycles with each cycle consisting of: 
Vibration Test	Frequency: 10Hz to 55Hz; Amplitude: 1.55mm 2 hours in each of the X,Y, and Z axes
Drop Test	Drop from a height of 75cm onto a 40mm thick board 3 times in each of the X, Y, and Z axes

After each test, let the part rest for 4 hours, then the change in SPL shall be within ±10dB

Dimensions



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Buzzers & Audio Indicators - Industrial](#) ***category:***

Click to view products by [PUI Audio](#) ***manufacturer:***

Other Similar products are found below :

[ESZ-26B](#) [ESZ-25B-5-250B](#) [EWP-202C](#) [EBPT-407](#) [BRP2212L-12-C](#) [CPT-1604-10L100](#) [56-61000-00.22](#) [AI-2628-TF-LW100-WP-R](#)
[4890060](#) [PK-27A35EWBQ](#) [ZT016LDCTR](#) [ZT016LDSR8R](#) [22MMGASKET](#) [SCE028LD3CL1F](#) [SSX-82SC](#) [ZT028LAFP1Y](#) [SSX-82SA](#)
[SCS045MD1MGCS](#) [XB5KSB](#) [713100113](#) [PT-723B-76Q](#) [PT-593SQ](#) [PK-35H29WQ](#) [PK-26N04W-06VQ](#) [PK-26N04W-03VQ](#) [PK-](#)
[27N35EPQ](#) [PK-26N04W-24VQ](#) [PNR1](#) [ACC02](#) [710100113](#) [PB-32N10W-12K](#) [SC628AHJR](#) [ZA048SADP2](#) [SCH110NR](#) [SSX-52SB](#) [SSX-](#)
[82SR](#) [AI-4429-P-CP12-2-R](#) [M22-AMC](#) [PK-27A35EPDGQ](#) [PK-27A35EPDBQ](#) [PK-35A29W-24VQ](#) [14-810.910](#) [SC648](#) [SC628AN](#) [SC628N](#)
[SC110N](#) [SC628ANP](#) [HW1Z-P1F2PQ4Y](#) [PFD-27A35ERQ](#) [BNR1](#)