Device Information

ISL95837 Print Page

3+1 and 1+1 Voltage Regulator for IMVP-7/VR12™ CPUs

- Features DescriptionTechnical Documentation
- iSim Design Simulation
 Tools And Support
- Pricing / Samples
- Related Devices

Datasheet



ISL95837

The ISL95835, ISL95837 datasheet is restricted to a very limited number of customers. To request a datasheet please email Jia Wei at jwei@intersil.com

V _{IN} (min) (V)	4.5
V _{IN} (max) (V)	5.5
V _{OUT} (min) (V)	0
V _{OUT} (max) (V)	1.52
I _{OUT} (max) (A)	30
V _{BIAS} (V)	5
Applications	VR12/IMVP7
Max # of outputs	2
Max # of phases	1
Droop	Y
Integrated MOSFET Driver	Υ

Product Information

Key Features

Serial Data Bus Dual Outputs:

Configurable 3-, 2- or 1-phase for the 1st Output using 2 integrated Gate Drivers 1-phase for the 2nd Output using an Integrated Gate Driver

0.5% System Accuracy Over-Temperature

Supports Multiple Current Sensing Methods

Lossless Inductor DCR Current Sensing

Precision Resistor Current Sensing

Differential Remote Voltage Sensing

Programmable V_{BOOT} Voltage at Start-up

Resistor Programmable $I_{\text{MAX}},\,T_{\text{MAX}}$ for Both Outputs

Adaptive Body Diode Conduction Time Reduction

Description

Compliant with IMVP-7/VR12™, the ISL95835 provides a complete solution for microprocessor and graphic processor core power supply. It provides two Voltage Regulators (VRs) with three integrated gate drivers. The first VR can be configured as

3-, 2- or 1-phase VR while the second output is 1-phase VR, providing maximum flexibility. The two VRs share the serial control bus to communicate with the CPU and achieve lower cost and smaller board area compared with the two-chip approach.

Based on Intersil's Robust Ripple Regulator (R3) technology™, the PWM modulator compared to traditional modulators, has faster transient settling time, variable switching frequency during load transients and has improved light load efficiency with it's ability to automatically change switching frequency.

The ISL95835 has several other key features. Both outputs support DCR current sensing with single NTC thermistor for DCR temperature compensation or accurate resistor current sensing. Both outputs come with remote voltage sense, programmable V_{BOOT} voltage, programmable I_{MAX} , T_{MAX} , adjustable switching frequency, OC protection and separate Power-Good.

The ISL95837 can be considered as ISL95835 dedicated for 1+1 application. VR1 and VR2 are both 1-phase VR.

Packaging / Samples / Ordering



Part No.	Design-In Status	Temp.	Package	MSL	₽
ISL95837HRZ	Active	Hi-Temp Comm	40 Ld QFN	3	V 🗼 🕖
ISL95837HRZ-T	Active	Hi-Temp Comm	40 Ld QFN T+R	3	✓
ISL95837IRZ	Active	Ind	40 Ld QFN	3	V 🔴 🕖
ISL95837IRZ-T	Active	Ind	40 Ld QFN T+R	3	✓ <i>●</i>

MSL = Moisture Sensitivity Level - per IPC/JEDEC J-STD-020

SMD = Standard Microcircuit Drawing

Technical Documentation

Datasheet(s):

The ISL95835, ISL95837 datasheet is restricted to a very limited number of customers. To request a datasheet please email Jia Wei at jwei@intersil.com

Tools And Support

iSim Design Simulation

No Models Available

Applications

IMVP-7/VR12 Compliant Computers

=	Related Devices				
	ISL6353	Multiphase PWM Regulator for VR12 DDR Memory Systems			
	ISL6363	Multiphase PWM Regulator for VR12™ Desktop CPUs			
	ISL6364	Dual 4-Phase + 1-Phase PWM Controller for VR12/IMVP7 Applications			
	ISL6364C	Dual 4-Phase + 1-Phase PWM Controller for VR12 Desktop Applications			
	ISL6366	Dual 6-Phase + 1-Phase PWM Controller for VR12/IMVP7 Applications			
	ISL95831	3+1 Voltage Regulator for IMVP-7/VR12 CPUs			
	ISL95835	3+1 and 1+1 Voltage Regulator for IMVP-7/VR12™ CPUs			

About Us | Careers | Contact Us | Investors | Legal | Privacy | Site Map | Subscribe | Intranet



©2003-2011. Intersil Americas Inc. All rights reserved.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Switching Controllers category:

Click to view products by Renesas manufacturer:

Other Similar products are found below:

LV5065VB-TLM-H LV5066V-TLM-H LV5725JAZ-AH NCP1218AD65R2G NCP1244BD065R2G NCP6153MNTWG

NCP81101BMNTXG NCP81205MNTXG CAT874-80ULGT3 SJ6522AG SJE6600 LX1672-03CPW SG3845DM NCP1250BP65G

NCP4204MNTXG NCP6132AMNR2G NCP81102MNTXG NCP81203MNTXG NCP81206MNTXG MAX1653ESET NCP1240FD065R2G

NCP1361BABAYSNT1G NCP1230P100G NX2124CSTR NCP1366BABAYDR2G NCP81174NMNTXG NCP4308DMTTWG

NCP4308AMTTWG NCP1366AABAYDR2G NCP1251FSN65T1G NCP1246BLD065R2G NTE7233 MB39A136PFT-G-BND-ERE1

NCP1256BSN100T1G LV5768V-A-TLM-E NCP1365BABCYDR2G NCP1365AABCYDR2G L6599AFDTR NCP1246ALD065R2G

NCP4205MNTXG XC9221C093MR-G RY8017 LP6260SQVF LP6298QVF FD5001MNTXG NCP1239LD65R2G

NCP12400BBBBA0DR2G NCP12400BBHAA1DR2G NCP12400CAHAB0DR2G NCP12400CBBAB0DR2G