

Product data sheet

Specifications



heat sink, Easy Harmony Solid State Relays, panel mounting, thermal resistance 0.56 degree C W

SSP1HP06

Product availability: Stock - Normally stocked in distribution facility

Main

Range of Product	Easy Harmony Solid State Relays
Product or Component Type	Heat sink

Complementary

Product compatibility	solid state relay SSR 90 A panel solid state relay SSR 125 A panel
thermal resistance	0.56 °C/W
Mounting Support	Panel
Overvoltage category	III
Pollution degree	2
Sale per indivisible quantity	1
Width	2.6 in (65 mm)
Height	4.7 in (120 mm)
Depth	2.6 in (65 mm)
Product Weight	20.05 oz (568.3 g)
Device presentation	Complete product

Ordering and shipping details

Category	US10CP222375
Discount Schedule	0CP2
GTIN	3606487050667
Returnability	Yes
Country of origin	CN

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.56 in (6.5 cm)
Package 1 Width	4.72 in (12 cm)
Package 1 Length	2.56 in (6.5 cm)
Package weight(Lbs)	20.05 oz (568.3 g)
Unit Type of Package 2	S02

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number of Units in Package 2	10
Package 2 Height	5.91 in (15 cm)
Package 2 Width	11.81 in (30 cm)
Package 2 Length	15.75 in (40 cm)
Package 2 Weight	14.6 lb(US) (6.6 kg)
Unit Type of Package 3	P12
Number of Units in Package 3	480
Package 3 Height	41.34 in (105 cm)
Package 3 Width	31.50 in (80 cm)
Package 3 Length	47.24 in (120 cm)
Package 3 Weight	727.5 lb(US) (330 kg)

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

 Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	8
Environmental Disclosure	Product Environmental Profile

Use Better


 Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	REACH Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



Use Again

 Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No

Image of product / Alternate images

Alternative





X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Relay Sockets & Fixings](#) category:

Click to view products by [Schneider](#) manufacturer:

Other Similar products are found below :

[670-0002](#) [670-0013](#) [670-0127](#) [6700152](#) [D258-2TS00](#) [8000-DG2-5](#) [911361](#) [9-1616339-5](#) [PJF11N](#) [GUR-120](#) [GUR-24](#) [GUR-240](#) [D52PR2T](#)
[1310H-HDC](#) [1390H-1ST](#) [1390H-2PC](#) [1410-2SM](#) [1410-3SM](#) [1510-1ST](#) [16-1328](#) [MSL09](#) [MSS09](#) [20C252](#) [2-1419106-9](#) [K2-SS](#) [RP78614](#)
[27E702](#) [ES8](#) [1810DB-SX](#) [SQ9Z-C](#) [ST141-A2](#) [SYSWINSMP](#) [GDA32HD](#) [GDA32SD](#) [GPS1001](#) [27E131](#) [27E400](#) [27E714](#) [27E936](#) [GURX-](#)
[120](#) [GURX-24](#) [GURX-240](#) [HDB-3](#) [4-1608090-1](#) [44255010](#) [AX-1MF-01](#) [5-1616319-6](#) [51807034](#) [3-1393159-8](#) [35C320J](#)