XZCPV0941L2

pre-wired connectors XZ - straight female - M8 - 4 pins - cable PVC 2m

Product availability: Stock - Normally stocked in distribution facility



| Main | | |
|------------------------------------|----------------------|--|
| Accessory / separate part category | Cabling accessory | |
| Accessory / separate part type | Pre-wired connectors | |
| Series name | General purpose | |

Complementary

| Complementary | | |
|--------------------------|--------------------------------------|---------------|
| Electrical connection | M8, 4 pins straight female connector | |
| Cable connector fixing | Screw-on | |
| Collar material | Metal | |
| Status LED | Without | |
| Cable length | 6.56 ft (2 m) | . |
| Cable outer diameter | 0.18 in (4.6 mm) | |
| Cable composition | 4 x 0.25 mm ² | |
| Wire insulation material | PVC | |
| System Voltage | 60 V AC 75 V DC | |
| Line Rated Current | 3 A | |
| Contact resistance | 5000 μOhm | |
| Insulating resistance | 1 GΩ | |
| Product weight | 0.2 lb(US) (0.09 kg) | |
| | | |

Environment

| IP degree of protection | IP65 IP67 |
|---------------------------------------|-------------------------------|
| Product certifications | cULus |
| Ambient air temperature for operation | -13176 °F (-2580 °C) (static) |
| Ambient air temperature for storage | -13176 °F (-2580 °C) |

Ordering and shipping details

| Category | 22483 - MACHINE CABLES |
|-----------------------|------------------------|
| Discount Schedule | DS3 |
| GTIN | 00785901401902 |
| Nbr. of units in pkg. | 1 |
| Package weight(Lbs) | 0.1700000000000001 |
| Returnability | Υ |
| Country of origin | DE |
| | |


Offer Sustainability

| RoHS (date code: YYWW) | Compliant - since 1201 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity |
|---------------------------|--|
| California proposition 65 | WARNING: This product can expose you to chemicals including: |
| Substance 1 | Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and |
| Substance 2 | Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. |
| More information | For more information go to www.p65warnings.ca.gov |

Contractual warranty

| Warranty period | 18 months |
|-----------------|-----------|
| | |

Dimensions




L: Lenght of cable

Product data sheet Connections and Schema

XZCPV0941L2

Connections and Schemes

Connector



BN: Brown BK: Black BU: Blue WH: White

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Sensor Cables / Actuator Cables category:

Click to view products by Schneider manufacturer:

Other Similar products are found below:

```
60963 60964 M83513/19-F01CP 703000D02F2002 703000D02F300 703001D02F0602 703001D02F300 704000D02F120 773032K02F030 802027107404-1 804001A09M150 805001A09M0502 84914-0235 84914-0237 885030A09M020 1200651332 1200651713 1200660844 1200660845 1200661173 1200680071 1200720053 1200720081 1200720099 1200720217 1200800231 1200860125 1200870123 1200980102 1200650267 1200650298 1200660183 1200660782 1200660849 1200661295 1200661297 1200661342 1200661343 1200670080 1200670020 1200670220 1200680331 1200720252 1200730184 1200860344 1200870359 1200870643 1200980008 1200980031 1210502211 1210400542
```