

2.5" to 3.5" SATA Aluminum Hard Drive Adapter Enclosure with SSD / HDD Height up to 12.5mm

Product ID: 25SAT35HDD



The 25SAT35HDD 2.5" to 3.5" hard drive adapter enclosure turns a 2.5" SATA hard drive (HDD) or solid state drive (SSD) into a 3.5" drive.

The adapter enclosure lets you substitute a 3.5" hard drive for a 2.5" SSD/HDD in any application that would typically require a 3.5" drive, such as desktop chassis, backplane, or docking station. The enclosure has the same dimensions as a standard 3.5" hard drive, including mounting points, and SATA connector locations.

With support for drives up to 12.5mm in height, and high-capacity SATA I/II/III drives (tested up to 1TB) this HDD adapter ensures compatibility with virtually any 2.5" SATA hard drive or solid state drive.

The 25SAT35HDD is backed by a StarTech.com 2-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility



Applications

- Replace your 3.5" hard drives with same-size SSDs
- Install a 2.5" SATA HDD/SSD into any 3.5" hard drive bay, such as a desktop chassis, backplane kit, or docking station
- Repurpose unused laptop hard drives to work with your desktop computer, or as a hot-swap storage solution

Features

- **2.5in TO 3.5in SATA ENCLOSURE:** The 2.5in to 3.5in hard drive adapter enclosure turns a 2.5in SATA hard drive (HDD) or solid-state drive (SSD) into a 3.5in SATA drive
- **VERSATILE FUNCTIONALITY:** The 2.5in to 3.5in SATA adapter enclosure lets you substitute a 3.5in hard drive for a 2.5in SSD/HDD in any application that would typically require a 3.5in drive form factor
- **SIMPLE DESIGN:** The external hard drive converter enclosure fits directly into a standard 3.5in hard drive bay, including mounting points, and SATA connector locations; Toolless design facilitates convenient setup and drive swapping
- **MAXIMUM COMPATIBILITY:** With support for high-capacity SATA I/II/III drives this 2.5in to 3.5in hard drive adapter enclosure ensures compatibility with virtually any 2.5in SATA HDD or SSD, up to 12.5mm drive height
- **THE IT PRO'S CHOICE:** Designed and built for IT Professionals, this 3.5in hard drive enclosure is backed for 2 years, including free lifetime 24/5 multi-lingual assistance

General

UPC	065030854856
Package Quantity	1
Warranty	2 Years

Power

Input Voltage	5V DC
Output Voltage	5 DC

Physical & Environmental

Color	Black & Silver
Material	Aluminum and Plastic
Max Drive Height	0.5 in [12.5 mm]
Product Length	5.7 in [146.0 mm]
Product Width	4.0 in [101.5 mm]
Product Height	1.4 in [36.0 mm]
Weight of Product	9.2 oz [260.0 g]
Operating Temperature	5C to 55C (32F to 131F)
Storage Temperature	5C to 55C (32F to 131F)

Humidity 5% - 85% RH

Performance

SATA Type and Rate	SATA III (6 Gbps)
RAID	No
Insertion Rating	Door: 500 cyclesNSS Connector: 50,000 cycles
Max Drive Capacity	Currently tested with up to 1TB 7200 RPM hard drives

Hardware

Interface	SATA
Number of Drives	1
Drive Size	2.5in
Compatible Drive Types	SATA
Drive Installation	Removable

Packaging & In-the-Box

Included in Package	1 - 2.5" to 3.5" SATA HDD/SSD Enclosure 1 - Screw kit 1 - Install Guide
Package Width	4.4 in [113 mm]
Package Depth	6.4 in [163 mm]
Package Height	1.5 in [38 mm]
Shipping (Package) Weight	9.3 oz [264 g]

Connector(s)

Host Connector 1 (Quantity)	1
Host Connector 1	SATA (7-Pin + 15-Pin)
Connector 1 (Quantity)	1
Connector 1	SATA (7-Pin + 15-Pin)

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Interface Modules](#) category:

Click to view products by [Startech](#) manufacturer:

Other Similar products are found below :

[9441560000](#) [73-546-001](#) [ADAM-4541-C](#) [USB-CARD-READER](#) [USB-RS485](#) [USB-SATA](#) [TD501D232H](#) [RSM232D](#) [TD502D232H](#) [RS232](#)
[TO RS485](#) [TD302D232H](#) [TD501D232H](#) [RSM232](#) [RSM232D](#) [TD301D232H](#) [TD302D232H](#) [TD502D232H](#) [SAVAK-58](#) [SAVKABELCL-24](#)
[20270](#) [20294](#) [30255](#) [50260](#) [20295](#) [20277](#) [50261](#) [EUR0001H](#) [ZHB2301G](#) [30346](#) [KS-308A](#) [KS-302A](#) [KS-304A](#) [KS-1041UA](#) [KS-1021UA](#)
[CEHBB](#) [66255](#) [50985](#) [4000-68512-0940003](#) [GPS50M](#) [2200002208](#) [4000-68112-1220000](#) [44110](#) [4000-68000-1300000](#) [4000-68512-4040001](#)
[446139](#) [60004-006](#) [2200002207](#) [1020882](#) [1021056](#) [1021058](#)