

USB 2.0 Internal Multi-Card Reader / Writer - SD microSD CF - TAA

Product ID: 35FCREADBK3



The 35FCREADBK3 3.5" Multimedia Card Reader offers quick and easy access to the most popular flash card formats, from the front panel of almost any desktop computer.

Suitable for quickly accessing memory cards from virtually any portable media device (e.g. digital cameras, MP3 players, etc.), this versatile media card reader supports 22 of the most popular card types, including: Compact Flash (CF type I), Secure Digital (SD/miniSD/microSD/SDHC/SDXC), MultiMediaCard (MMC/RS-MMC/HS-MMC/MMCmobile/MMCplus/MMCmicro/HC-MMC), MemoryStick (MS/MS Duo/HS-MS/MS PRO/MS PRO Duo/MS PRO-HG Duo/MS-ROM/M2), and xD Picture cards, this reader is ready to handle the memory cards from virtually any portable device from cameras to music players.

The card reader also allows simultaneous access to multimedia card types (excluding same type media), allowing you to copy files from or between different cards at the same time.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility



Applications

- Photographers who need to regularly transfer files from their camera memory card to a computer

- Transferring files to and from a variety of portable devices, each using a different memory card format

Features

- **USB 2.0 MULTI-CARD READER:** This Internal USB 2.0 Multi-Card Reader fits into any 3.5in drive bay and connects internally to a 9-pin motherboard header; Access the most popular flash card formats from a desktop computer; Includes 9-pin IDC cable and screws
- **WIDE COMPATIBILITY:** Supports CompactFlash type I, SD/miniSD/microSD/SDHC/SDXC, MMC/RS-MMC/HS-MMC/MMCmobile/MMCplus/MMCmicro/HC-MMC, MemoryStick (MS/MS Duo/HS-MS/MS PRO/MS PRO Duo/MS PRO-HG Duo/MS-ROM/M2), and xD Picture card; Front facing USB 2.0 port
- **SIMULTANEOUS SLOT ACCESS:** This internal multi-card reader supports access to multiple media card types simultaneously (excluding same type media), allowing you to conveniently copy files from or between different media cards at the same time
- **CONVENIENT SETUP:** OS independent supporting Windows, macOS, and Linux; Built-in Power and Activity LED; Ideal for saving, editing & transferring content in videography, photography, podcasting, YouTube & social media
- **THE IT PRO'S CHOICE:** Designed and built for IT Professionals, this TAA compliant internal multi-card reader is backed for 2 years, including free lifetime 24/5 multi-lingual assistance

General

UPC	065030851121
Package Quantity	1
Warranty	2 Years

Special Notes / Requirements

Special Notes	Simultaneous card access is limited to different media card types
System and Cable Requirements	Available internal 9-pin USB motherboard header

Power

Power Source	USB-Powered
Input Voltage	5V DC
Output Voltage	5 DC

Physical & Environmental

Color	Black
Material	Steel and Plastic

Product Length	5.1 in [130 mm]
Product Width	4.1 in [105 mm]
Product Height	1.0 in [25 mm]
Weight of Product	7.4 oz [211 g]
Operating Temperature	0C to 70C (32F to 158F)
Storage Temperature	-40C to 125C (-40F to 257F)
Humidity	15~85%

Performance

Memory Media Type	CF (Compact Flash I Card)
	microSDHC (Micro Secure Digital High Capacity)
	Mini-SD, Micro-SD (Mini/Micro Secure Digital)
	SD/MMC (Secure Digital/Multimedia Card)
	SDHC (Secure Digital High Capacity)
	SDXC (Secure Digital eXtended Capacity)
	Memory Stick
	M2 (Memory Stick Micro)
	Multi Media Card
	RS-MMC (Reduced Size Multimedia Card)
	HS-MMC, HC-MMC (High Speed/High Capacity Multimedia Card)
	HS-MS (High Speed Memory Stick)
	MS Duo, MS Pro Duo, MS Pro-HG Duo
	xD (Extreme Digital) Picture Card
Max Drive Capacity	Currently tested with up to 256GB microSD cards

Hardware

Chipset ID	ITE - 1336
------------	------------

LED Indicators 1 - Power/Activity

Packaging & In-the-Box

Included in Package	1 - Card Reader
	1 - 9-pin IDC USB cable
	1 - Bag of Mounting Screws
	1 - Instruction Manual
Package Width	6.4 in [162 mm]
Package Depth	5.5 in [140 mm]
Package Height	1.4 in [36 mm]
Shipping (Package) Weight	9.3 oz [264 g]

Connector(s)

Connector 1 (Quantity)	1
Connector 1	IDC (10-Pin)
Connector 2 (Quantity)	1
Connector 2	xD-Picture Card Slot
Connector 3 (Quantity)	1
Connector 3	SD Card Slot
Connector 4 (Quantity)	1
Connector 4	CompactFlash Slot
Connector 5 (Quantity)	1
Connector 5	Memory Stick / PRO Slot
Connector 6 (Quantity)	1
Connector 6	USB-A (480Mbps, 2.5W)
Connector 7 (Quantity)	1
Connector 7	Memory Stick Micro (M2) Slot

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Interface Modules](#) category:

Click to view products by [Startech](#) manufacturer:

Other Similar products are found below :

[9441560000](#) [73-546-001](#) [ADAM-4541-C](#) [USB-CARD-READER](#) [USB-RS485](#) [USB-SATA](#) [TD501D232H](#) [RSM232D](#) [TD502D232H](#) [RS232](#)
[TO RS485](#) [TD302D232H](#) [TD501D232H](#) [RSM232](#) [RSM232D](#) [TD301D232H](#) [TD302D232H](#) [TD502D232H](#) [SAVAK-58](#) [SAVKABELCL-24](#)
[20270](#) [20294](#) [30255](#) [50260](#) [20295](#) [20277](#) [50261](#) [EUR0001H](#) [ZHB2301G](#) [30346](#) [KS-308A](#) [KS-302A](#) [KS-304A](#) [KS-1041UA](#) [KS-1021UA](#)
[CEHBB](#) [66255](#) [50985](#) [4000-68512-0940003](#) [GPS50M](#) [2200002208](#) [4000-68112-1220000](#) [44110](#) [4000-68000-1300000](#) [4000-68512-4040001](#)
[446139](#) [60004-006](#) [2200002207](#) [1020882](#) [1021056](#) [1021058](#)