

4-Port USB Hub - USB 3.0 5Gbps, Bus Powered, USB-A to 4x USB-A Hub w/ Optional Auxiliary Power Input - Portable Desktop/Laptop USB Hub, 1ft/30cm Cable, USB Expansion Hub

Product ID: 5G4AB-USB-A-HUB



This USB Hub adds four USB-A 3.2 Gen 1 (5Gbps) ports to a USB-A enabled desktop or laptop computer. The USB Hub connects to a USB-A port on a computer, using the built-in 1ft. (30cm) host cable. The USB hub is backward compatible with USB 2.0 (480Mbps) devices, ensuring support for a wide range of modern and legacy USB peripherals (e.g., thumb drives, external HDDs/SSDs, HD cameras, mice, keyboards, webcams, and audio headsets). The USB hub is compact in size, facilitating portability when travelling.

The USB hub can operate with bus power alone, but features a Micro USB power input that can be connected to a USB power adapter (not included), providing up to 4.5W (5V/0.9A) of power in addition to the 4.5W of bus power from the USB host. This flexibility is ideal for applications where additional power may be required, such as connecting a high-powered USB device, like an external SSD, while using the other ports to connect lower powered devices. The downstream ports are each capable of providing up to 4.5W of power to the connected peripherals. For added protection to this USB hub and the connected host device, the USB hub features Overcurrent Protection (OCP). OCP prevents faulty USB peripherals from drawing more power than is safely allocated.

This device is OS independent, supporting all operating systems, including Windows, macOS, ChromeOS, and Android. The Hub is automatically detected, configured, and installed upon connection to a host computer, such as Apple MacBook, Lenovo X1 Carbon, and Dell XPS. The extra long built-in 1ft. (30 cm) USB-A host cable enables quick and convenient setup and reduces connector strain on 2-in-1 devices, such as the Surface Pro 7 and laptops on riser stands.

Developed to improve performance and security, StarTech.com Connectivity Tools is the only software suite on the market that is compatible with a wide variety of IT connectivity accessories. The applicable software for this product is the USB Event Monitoring Utility. Use this utility to track and log any connected USB devices.

For more information and to download the StarTech.com Connectivity Tools application, please visit: www.StarTech.com/connectivity-tools

This product is backed for 2-years by StarTech.com, including free lifetime 24/5 multi-lingual technical assistance.

Certifications, Reports and Compatibility



Applications

- Connect four USB-A peripherals to a USB-A equipped laptop or desktop
- Ideal for traveling between the home and office

Features

- **4 PORT USB HUB:** Bus-powered USB 3.2 Gen 1 (5Gbps) expansion hub features a USB-A host connector and 4x USB-A ports, Overcurrent Protection (OCP) & Wake on USB - 4.5W of bus power dynamically shared between 4 downstream ports, with max 4.5W per port
- **AUXILIARY POWER INPUT:** The USB hub features a Micro USB power input (cable sold separately) to add 4.5W (5V/0.9A) of power to the hub for applications where additional power may be required, such as connecting high power USB devices like SSD drives
- **COMPATIBILITY:** OS independent - Supports all operating systems, including Windows, macOS, Linux, ChromeOS, Android - Compatible with USB Type-A host devices such as Lenovo X1 Carbon, Dell XPS, Microsoft Surface - Works w/USB 2.0 devices
- **EXTRA LONG CABLE:** Bus-powered USB dongle with compact housing, ideal for travel - Attached extra-long 1ft. (30cm) host cable for easy setup and to reduce connector strain on 2-in-1 devices, such as Surface Pro 7 and laptops on riser stands
- **APPLICATIONS:** Add 4x USB-A ports from a single USB-A port for connecting peripherals such as keyboard/mouse, USB SSDs & thumb drives - Ideal for desktops or laptop computers with limited USB ports - USB Event Monitoring utility available for download

General

UPC	065030893220
Package Quantity	1
Warranty	2 Years

Special Notes / Requirements

Special Notes	USB 3.2 Gen 1 (5Gbps) is also known as USB 3.1 Gen 1 (5Gbps) and USB 3.0 (5Gbps).
---------------	---

System and Cable Requirements

A host computer with an available USB-A port.

(Optional - when USB bus power is inadequate) USB Power Source with USB Micro-B host cable to provide supplemental power to the USB hub (up to 4.5W).

Power

Power Source

Bus Powered

Physical & Environmental

Color

Space Gray

Material

Plastic

Cable Length

11.8 in [300 mm]

Product Length

16.5 in [420.0 mm]

Product Width

2.1 in [54.0 mm]

Product Height

0.6 in [16.0 mm]

Weight of Product

2.9 oz [82.0 g]

Operating Temperature

0C to 70C (32F to 158F)

Storage Temperature

-40C to 80C (-40F to 176F)

Humidity

0% ~ 85% RH (no condensation)

Performance

Maximum Data Transfer Rate

5 Gbps (USB 3.2 Gen 1)

Type and Rate

USB 5Gbps

UASP Support

Yes

MTBF

107,000 hours

Hardware

USB-C Device Port(s)

No

USB-C Host Connection

No

Fast-Charge Port(s)

No

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Interface Modules](#) ***category:***

Click to view products by [Startech](#) ***manufacturer:***

Other Similar products are found below :

[9441560000](#) [73-546-001](#) [ADAM-4541-C](#) [USB-CARD-READER](#) [USB-RS485](#) [USB-SATA](#) [TD501D232H](#) [RSM232D](#) [TD502D232H](#) [RS232](#)
[TO RS485](#) [TD302D232H](#) [TD501D232H](#) [RSM232](#) [RSM232D](#) [TD301D232H](#) [TD302D232H](#) [TD502D232H](#) [SAVAK-58](#) [SAVKABELCL-24](#)
[20270](#) [20294](#) [30255](#) [50260](#) [20295](#) [20277](#) [50261](#) [EUR0001H](#) [ZHB2301G](#) [30346](#) [KS-308A](#) [KS-302A](#) [KS-304A](#) [KS-1041UA](#) [KS-1021UA](#)
[CEHBB](#) [66255](#) [50985](#) [4000-68512-0940003](#) [GPS50M](#) [2200002208](#) [4000-68112-1220000](#) [44110](#) [4000-68000-1300000](#) [4000-68512-4040001](#)
[446139](#) [60004-006](#) [2200002207](#) [1020882](#) [1021056](#) [1021058](#)