

USB C Multiport Adapter with HDMI, VGA, Gigabit Ethernet & USB 3.0 - USB C to 4K HDMI or 1080p VGA Display Mini Dock Hub - USB Type-C Travel Docking Station for USB-C Laptops

Product ID: DKT30CHVCM



Ideal for mobile workers, this USB-C multiport adapter with HDMI and VGA gives you flexible video output. It's like four adapters in one, with HDMI or VGA connections, a Gigabit Ethernet port and a USB 3.0 port, all through one connection to your laptop's USB-C port. Plus, it features a hideaway cable for better cable management and easier travel.

With easy plug-and-play installation on most operating systems, the USB-C adapter doesn't require additional drivers or software. It's the perfect accessory for MacBook Pro, Dell XPS, Chromebook or other USB-C laptops.

The USB Type-C multiport adapter keeps you prepared for business travel. You can extend your laptop's display by connecting to a 4K HDMI (4096x2160 or 3840 x 2160p) or VGA (1920 x 1200p) monitor or projector, to make presentations or set up a workstation.

With multiple ports and an easily accessible hideaway cable, the USB-C all-in-one adapter makes an ideal travel dock, for easy connections on the go. Plus, the USB Type-C adapter is bus powered, so there's no need to carry around a separate power adapter.

Connect a flash drive, mouse or other peripheral to your USB-C or Thunderbolt 3 laptop using the USB 3.0 Type-A port. The USB-C adapter adds wired network connectivity with the GbE port, making it ideal in areas without Wi-Fi.

Developed to improve performance and security, StarTech.com Connectivity Tools is the only software suite on the market that works with a wide range of IT connectivity accessories. The software suite includes:

Advanced Windows Layout Utility: To setup and save custom windows layouts.

Mac Address Pass-Through Utility: To improve network security.

USB Event Monitoring Utility: To track and log connected USB devices

Wi-Fi Auto Switch Utility: Enabling users to quickly access faster network speeds via wired LAN.

For more information and to download the StarTech.com Connectivity Tools application, please visit:
www.StarTech.com/Connectivity-Tools

DKT30CHVCM is backed by a StarTech.com 3-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility



Applications

- Make presentations in the boardroom or classroom, connecting to an HDMI or VGA monitor
- Ideal laptop accessory for mobile workers
- Convenient travel dock when working out of your hotel room
- Works well in small, shared and temporary workstations

Features

- **4-IN-1 PORTABLE DOCK:** USB C Multiport Adapter w/ 4K 30Hz HDMI 1.4 or 1080p VGA single display video output, 5Gbps USB-A port & Gigabit Ethernet for USB-C/Thunderbolt 3 laptops, tablets, or smartphones
- **IDEAL FOR TRAVEL:** The mini USB C travel dock is compact, lightweight, & portable, features attached hideaway cable providing easy cable management to prevent tangles in laptop bags, pouches or pockets
- **WIDE DEVICE COMPATIBILITY:** Compatible with USB-C tablets or smartphones, this USB 3.0 (USB 3.1 Gen 1) Type C multiport hub works with HP, Lenovo, Dell, MacBook, Chromebooks and Samsung Galaxy devices
- **EASY SETUP & DEPLOYMENT:** With automatic driver setup, this mobile USB-C multiport docking station supports all major operating systems; Windows, macOS, Chrome OS, & Android to ensure compatibility
- **INDUSTRY-LEADING SUPPORT:** StarTech.com offers a 3-year warranty and free lifetime professional technical support on this USB C multiport adapter so you can be confident in this USB Type C travel dock

General

UPC	065030880152
Package Quantity	1
Warranty	3 Years

Special Notes / Requirements

Special Notes	Not all USB-C ports support the full functionality of the USB Type-C standard. Ensure that your laptop USB-C port supports DP alt mode. Only one video output port can be used at the same time (HDMI or VGA). If two displays are connected, the HDMI port takes priority. A 4K-capable display is required to achieve 4K x 2K resolution (4K is also known as 4K x 2K). USB 3.0 is also known as USB 3.1 Gen 1; this connectivity standard offers speeds up to 5Gbps.
System and Cable Requirements	Host laptop with an available USB-C port (to ensure full functionality, the laptop's USB-C port must support DP alt mode).

Power

Power Source	USB-Powered
Power Delivery	No PD Pass-Through
Output Voltage	5 DC

Physical & Environmental

Color	Black
Material	Plastic
Cable Length	3.0 in [75 mm]
Product Length	4.1 in [105.0 mm]
Product Width	2.4 in [62.0 mm]
Product Height	0.6 in [16.0 mm]
Weight of Product	2.9 oz [82.0 g]
Operating Temperature	0C to 40C (32F to 104F)

Storage Temperature -20C to 70C (-4F to 158F)

Humidity 0~90% RH

Performance

Maximum Data Transfer Rate 5 Gbps (USB 3.0) <br / >2 Gbps (Ethernet; Full-Duplex)

Type and Rate USB 3.0 (5Gbps)

UASP Support Yes

Compatible Networks 10/100/1000 Mbps

Auto MDIX Yes

Full Duplex Support Yes

Maximum Analog Resolutions 1920 x 1200p @ 60Hz (VGA)

Maximum Digital Resolutions 4096 x 2160p @ 24Hz or 3840 x 2160p @ 30Hz (HDMI)

Hardware

Fast-Charge Port(s) No

4K Support Yes

Displays Supported 1

Bus Type USB-C

Number of Displays 1

Industry Standards IEEE 802.3, IEEE 802.3u, IEEE 802.3ab
USB 3.0 - Backward compatible with USB 2.0 and 1.1

Chipset ID Genesys Logic - GL3523
Realtek - RTL8153
Eton Technology - EJ899T
Parade Technologies - PS176
ITE -IT6516

Packaging &

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Interface Modules](#) category:

Click to view products by [Startech](#) manufacturer:

Other Similar products are found below :

[9441560000](#) [73-546-001](#) [ADAM-4541-C](#) [USB-CARD-READER](#) [USB-RS485](#) [USB-SATA](#) [TD501D232H](#) [RSM232D](#) [TD502D232H](#) [RS232](#)
[TO RS485](#) [TD302D232H](#) [TD501D232H](#) [RSM232](#) [RSM232D](#) [TD301D232H](#) [TD302D232H](#) [TD502D232H](#) [SAVAK-58](#) [SAVKABELCL-24](#)
[20270](#) [20294](#) [30255](#) [50260](#) [20295](#) [20277](#) [50261](#) [EUR0001H](#) [ZHB2301G](#) [30346](#) [KS-308A](#) [KS-302A](#) [KS-304A](#) [KS-1041UA](#) [KS-1021UA](#)
[CEHBB](#) [66255](#) [50985](#) [4000-68512-0940003](#) [GPS50M](#) [2200002208](#) [4000-68112-1220000](#) [44110](#) [4000-68000-1300000](#) [4000-68512-4040001](#)
[446139](#) [60004-006](#) [2200002207](#) [1020882](#) [1021056](#) [1021058](#)