

4 Port USB to RS232 Serial DB9 Adapter Hub - TAA

Product ID: ICUSB2324




This 4 Port USB to RS232 Serial Hub lets you connect up to four RS232 serial devices to your Mac or PC laptop or desktop computer through a single USB port, as though the computer offered built-on DB9M serial connectors.

The RS232 Serial Hub is compactly designed to preserve valuable workspace, and is bus-powered to eliminate the need for an external power adapter.

A cost-effective solution that bridges the compatibility gap between modern USB-capable computers and legacy RS232 serial peripherals, this dependable USB/RS232 Serial Adapter hub is backed by StarTech.com's Lifetime Warranty.

Certifications, Reports and Compatibility



Applications

- Connect modems, digitizer tablets, mice, bar code scanners, GPS receivers, ISDN terminal adapters, mobile phones, scanners, UPSes and POS equipment to your system
- Connect and program LED and Digital signage boards with serial communication ports

Features

- Bus powered, no external power adapter required
- Easy Plug-and-Play installation
- Fully compliant with USB 1.1 specifications and compatible with USB 2.0
- Provides you with four additional RS232 serial ports

General

UPC	065030825177
Package Quantity	1
Warranty	Lifetime

Special Notes / Requirements

System and Cable Requirements	One free USB port
-------------------------------	-------------------

Power

Power Consumption	1 ~ 1.5W
-------------------	----------

Physical & Environmental

Color	Black
Material	Plastic
Cable Length	72.0 in [1828.8 mm]
Product Length	5.9 in [150 mm]
Product Width	2.6 in [66.5 mm]
Product Height	1.0 in [26 mm]

Weight of Product	5.2 oz [146 g]
Operating Temperature	0C to 55C (32F to 131F)
Storage Temperature	-20 to 85C (-4 to 185F)
Humidity	5~95% RH

Performance

FIFO	256 Bytes
Max Baud Rate	921.6 Kbps
Serial Protocol	RS-232

Hardware

Number of Ports	4
Interface	Serial
Bus Type	USB 2.0
Port Style	External Hub
Industry Standards	RS232
	USB 1.1
Chipset ID	FTDI - FT232RL

Packaging & In-the-Box

Included in Package	1 - 4 Port Serial Hub
	1 - USB Cable
	1 - Mounting Bracket
	1 - Driver CD
	1 - Instruction Manual
Package Width	8.5 in [216 mm]
Package Depth	5.9 in [150 mm]
Package Height	2.0 in [52 mm]
Shipping (Package)	13.0 oz [368 g]

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Interface Modules](#) ***category:***

Click to view products by [Startech](#) ***manufacturer:***

Other Similar products are found below :

[9441560000](#) [73-546-001](#) [ADAM-4541-C](#) [USB-CARD-READER](#) [USB-RS485](#) [USB-SATA](#) [TD501D232H](#) [RSM232D](#) [TD502D232H](#) [RS232](#)
[TO RS485](#) [TD302D232H](#) [TD501D232H](#) [RSM232](#) [RSM232D](#) [TD301D232H](#) [TD302D232H](#) [TD502D232H](#) [SAVAK-58](#) [SAVKABELCL-24](#)
[20270](#) [20294](#) [30255](#) [50260](#) [20295](#) [20277](#) [50261](#) [EUR0001H](#) [ZHB2301G](#) [30346](#) [KS-308A](#) [KS-302A](#) [KS-304A](#) [KS-1041UA](#) [KS-1021UA](#)
[CEHBB](#) [66255](#) [50985](#) [4000-68512-0940003](#) [GPS50M](#) [2200002208](#) [4000-68112-1220000](#) [44110](#) [4000-68000-1300000](#) [4000-68512-4040001](#)
[446139](#) [60004-006](#) [2200002207](#) [1020882](#) [1021056](#) [1021058](#)