

4 Port Black SuperSpeed USB 3.0 Hub - 5Gbps

Product ID: ST4300USB3




The ST4300USB3 4-Port SuperSpeed USB 3.2 Gen 1 Hub allows you to add 4 additional USB 3.2 Gen 1 ports from a single USB 3.2 Gen 1 connection to the host computer system.

Backward compatible with USB 2.0 and USB 1.x standards, this USB 3.2 Gen 1 hub still supports older USB devices and can also be used as a hub on older systems that do not have USB 3.2 Gen 1 ports.

With the capability to mix and match USB 3.2 Gen 1/2.0/1.x devices and be used with or without the included external power adapter, this hub offers the best of versatility and portability.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility



Applications

- Expand your system USB 3.2 Gen 1 capabilities with additional ports
- Make hard to access USB ports more accessible, by being able to position the hub anywhere the cable will reach
- Extend the range of a USB device by having the hub act as a mid-point repeater

Features

- **USB HUB FOR THE IT PRO:** Instantly add 4 SuperSpeed USB-A 3.0 ports from a single USB connection which will enable you to connect your USB peripherals (keyboard, mouse, flash drive) and use them simultaneously
- **VERSITILE USE:** This powered USB splitter can be used with or without the included external power adapter, offering the best of versatility and portability; When used with the external power adapter, the USB extender provides up to 900mA of power per port
- **FAST SPEEDS:** This IT-grade USB dock is small but mighty; It is SuperSpeed USB 3.0 compliant meaning it delivers data transfer speeds up to 5Gbps; For added convenience, the adapter is backward compatible with previous versions of USB (2.0 and 1.0/1.1)
- **PLUG-AND-PLAY:** With no additional software or drivers required, this portable USB 3.0 laptop expander hub provides a true plug-and-play solution; It is designed to work with any operating system, ensuring compatibility across platforms
- **THE IT PRO'S CHOICE:** Designed and built for IT Professionals, this 4-port SuperSpeed USB 3.0 hub is backed for 2-Years, including free lifetime 24/5 multi-lingual technical assistance

General

UPC	065030841399
Package Quantity	1
Warranty	2 Years

Special Notes / Requirements

System and Cable Requirements	USB 3.0 or 2.0 or 1.x compliant host controller with available port.
-------------------------------	--

Power

Power Source	AC Adapter Included
Input Voltage	100 - 240 AC
Input Current	0.35A
Output Voltage	5 DC
Output Current	2
Center Tip Polarity	Positive
Plug Type	M
Power Consumption	10

Physical & Environmental

Color	Black
Material	Plastic
Product Length	3.8 in [96.4 mm]
Product Width	2.7 in [68.0 mm]
Product Height	0.9 in [23.0 mm]
Weight of Product	2.8 oz [78 g]
Operating Temperature	0C to 50C (32F to 122F)
Storage Temperature	-20C to 60C (-4F to 140F)
Humidity	5~85% RH

Performance

Total USB Power Output	10W
Maximum Data Transfer Rate	5 Gbps (USB 3.2 Gen 1)
MTBF	24,000 Hours

Hardware

USB-C Device Port(s)	No
USB-C Host Connection	No
Fast-Charge Port(s)	No
Number of Ports	4
Interface	USB 3.2 Gen 1 (5Gbps)
Chipset ID	VIA/VLI - VL811+
LED Indicators	1 - Power (Blue)
Form Factor	Desktop

Packaging & In-the-Box

Included in Package	1 - USB 3.0 Hub
---------------------	-----------------

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Interface Modules](#) category:

Click to view products by [Startech](#) manufacturer:

Other Similar products are found below :

[9441560000](#) [73-546-001](#) [ADAM-4541-C](#) [USB-CARD-READER](#) [USB-RS485](#) [USB-SATA](#) [TD501D232H](#) [RSM232D](#) [TD502D232H](#) [RS232](#)
[TO RS485](#) [TD302D232H](#) [TD501D232H](#) [RSM232](#) [RSM232D](#) [TD301D232H](#) [TD302D232H](#) [TD502D232H](#) [SAVAK-58](#) [SAVKABELCL-24](#)
[20270](#) [20294](#) [30255](#) [50260](#) [20295](#) [20277](#) [50261](#) [EUR0001H](#) [ZHB2301G](#) [30346](#) [KS-308A](#) [KS-302A](#) [KS-304A](#) [KS-1041UA](#) [KS-1021UA](#)
[CEHBB](#) [66255](#) [50985](#) [4000-68512-0940003](#) [GPS50M](#) [2200002208](#) [4000-68112-1220000](#) [44110](#) [4000-68000-1300000](#) [4000-68512-4040001](#)
[446139](#) [60004-006](#) [2200002207](#) [1020882](#) [1021056](#) [1021058](#)