

- Free ready to run application firmware available on www.st.com, to support quick evaluation and development

Description

The L99LD21-ADIS discovery board enables you to drive four independent high brightness LED strings for automotive front lighting applications by connecting it to the SPC560B-DIS discovery board, application firmware examples and GUI are available.

Features

- 2 soldered L99LD21 flexible LED drivers
- Board size 100 x 55 mm
- Two extension headers (2 x 36 pin - 100 mil) for quick connection to SPC560B-DIS discovery board
- Controllable by dedicated GUI available on www.st.com

Table 1. Device summary

Order code	Reference
L99LD21-ADIS	L99LD21 expansion board

Contents


1	System requirements, HW and SW resources	3
1.1	System requirements	3
1.2	Hardware configuration	3
1.3	GUI	3
1.4	Demonstration software	4
2	Revision history	5

1 System requirements, HW and SW resources

1.1 System requirements

- Windows PC (2000, XP, Vista, 7)
- USB type A to mini-B cable
- SPC560B-DIS discovery board
- L99LD21-ADIS board

Figure 1. Complete system




1.2 Hardware configuration

L99LD21-ADIS can be sold stand alone or with microcontroller discovery board SPC560B-DIS. For more information, please refer to ST website www.st.com.

1.3 GUI

GUI is available to control the entire system, that is SPC560B-DIS Discovery board connected with the L99LD21-ADIS application board. For more information, and to download the latest version available, please refer to ST web www.st.com.

Figure 2. GUI interface



1.4 Demonstration software

Firmware is available for easy demonstration. For more information and to download the latest version available, please refer to ST web www.st.com.

2 Revision history

Table 2. Document revision history

Date	Revision	Changes
25-Jun-2018	1	Initial release.

IMPORTANT NOTICE – PLEASE READ CAREFULLY

STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST's terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers' products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2018 STMicroelectronics – All rights reserved

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [LED Lighting Development Tools](#) category:

Click to view products by [STMicroelectronics](#) manufacturer:

Other Similar products are found below :

[MIC2870YFT EV](#) [ADP8860DBCP-EVALZ](#) [LM3404MREVAL](#) [ADM8843EB-EVALZ](#) [TDGL014](#) [ISL97682IRTZEVALZ](#) [LM3508TLEV](#)
[EA6358NH](#) [MAX16826EVKIT](#) [MAX16839EVKIT+](#) [TPS92315EVM-516](#) [MAX1698EVKIT](#) [MAX6956EVKIT+](#) [OM13321,598](#) [DC986A](#)
[DC909A](#) [DC824A](#) [STEVAL-LLL006V1](#) [IS31LT3948-GRLS4-EB](#) [104PW03F](#) [PIM526](#) [PIM527](#) [MAX6946EVKIT+](#) [MAX20070EVKIT#](#)
[MAX21610EVKIT#](#) [MAX20090BEVKIT#](#) [MAX20092EVSYS#](#) [PIM498](#) [AP8800EV1](#) [ZXLD1370/1EV4](#) [MAX6964EVKIT](#)
[MAX25240EVKIT#](#) [MAX25500TEVKITC#](#) [MAX77961BEVKIT06#](#) [1216.1013](#) [TPS61176EVM-566](#) [TPS61197EVM](#) [TPS92001EVM-628](#)
[1270](#) [1271.2004](#) [1272.1030](#) [1273.1010](#) [1278.1010](#) [1279.1002](#) [1279.1001](#) [1282.1000](#) [1293.1900](#) [1293.1800](#) [1293.1700](#) [1293.1500](#)