




Mechanical Dimensions: Inches [mm]



Mounting Hole



Circuit Diagram



Electrical Specifications

Rating	20A 12V DC, 10A 24V DC
Contact Resistance	50m ohm Max
Insulation Resistance	DC 500V 100M ohm Min
Dielectric Strength	AC 1500V 1 minute
Operation Temperature	0°C~55°C

Material Specifications

Rev	Date of issue	Revision Notes	Designed	Approved
B	07-13-2021	Initial Drawing	RC	OF

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Toggle Switches](#) category:

Click to view products by [SWITCH COMPONENTS](#) manufacturer:

Other Similar products are found below :

[8928K478](#) [8951K2998](#) [8951K3310](#) [8956K1283](#) [8956K1285](#) [8956K1286](#) [8956K1287](#) [8A1-C-222](#) [020017-13](#) [CS8275](#) [637H/25](#)
[7101SPDV30BE](#) [7103SDV30BE](#) [7105D](#) [7108P3YAV2BE](#) [71YY50282](#) [7209SY9AQE](#) [7209SYCBCE](#) [7301SS24484](#) [7303KZQE](#) [7306K36](#)
[7503K21](#) [7565K6](#) [7595K6](#) [7691K14](#) [7704K3](#) [8391K108](#) [8811K17](#) [8835K3](#) [8858K44](#) [8E4011](#) [1202W](#) [A201SCWZB04](#) [A232S1YZQ](#)
[12149A-3V](#) [12156AX408](#) [12TW29-1](#) [130312](#) [14TL1-7](#) [1520230-9](#) [EHTSLPKG](#) [MST105E](#) [MST105F](#) [MTA106H-P](#) [169-0019-003](#) [169-0019-005](#) [JG-72968](#) [PB02KE](#) [2221BK](#) [8906K2504](#)