






📍 TW5384 High-Precision Smart GNSS Antenna with PPP-RTK SDK

Calian's High Precision Tallysman **Smart GNSS antennas** integrate advanced receivers with High Precision Tallysman GNSS antennas, connecting Position, Navigation and Timing resources to host systems over digital interfaces.

Calian Smart GNSS SDK's are a plug and play evaluation platform for Calian's Smart Antennas, with tools such as, TruPrecision Software, short term complementary augmentation subscription services and simple connection to a PC.


The TP5384SDK supports the TW5384 High Precision GNSS Smart Antenna with the following features:

- MQTT client for PointPerfect PPP-RTK Corrections over terrestrial network (<6cm accuracy)
- NTRIP client for RTK Base or Rover Configurations (<cm accuracy)
- Moving Base Precise Heading Base/Rover pair configuration
- NMEA monitoring, satellite visibility and signal strength, GNSS status monitoring, and logging tools with visual state heat-map
- Status console to pinpoint issues between antenna, corrections and network connections

Calian TW5384 High Precision GNSS Antenna SDK



TW5384 Smart GNSS Antenna



TruPrecision Software



PointPerfect

GNSS augmentation service

**60 Days Complementary PointPerfect
GNSS Augmentation Service**



RS-422/485 to USB Bridge


33-0095-10 (RS-422)

33-0095-13 (RS-232)

TW5384 SDK ordering:

- **33-TP5384SDK-0:** Calian 33-5384-07-10-05-PC0 (RS-422) + 33-0095-10 USB to serial bridge
- **33-TP5384SDK-2:** 33-5384-27-10-05-PC0 (RS-232) + 33-0095-13 USB to serial bridge
- **All kits SDK's include:**
 - link to Calian TruPrecision Application for PointPerfect IP correction streaming
 - 60 day trial subscription to the PointPerfect augmentation service

The TruPrecision SDK application is a Windows service which provides an autonomous connection to stream PointPerfect IP corrections and decryption keys to the TW5384 Smart Antenna via a USB Serial Bridge which also provides a Virtual COM Port to allow customers to connect their existing applications to the Calian Smart GNSS Antenna high precision "corrected" position data output. The position data may be either NMEA or UBX formatted messages.



About Calian

We keep the world moving forward. Calian® helps people communicate, innovate, learn and lead safe and healthy lives. Every day, our employees live our values of customer commitment, integrity, innovation and teamwork to engineer reliable solutions that solve complex problems. That's Confidence. Engineered. A stable and growing 40-year company, we are headquartered in Ottawa with offices and projects spanning North American, European and international markets. Visit calian.com to learn about innovative healthcare, communications, learning and cybersecurity solutions.

info.gnss@calian.com | +1 613 591-3131 

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Antenna Development Tools](#) category:

Click to view products by [Tallysman](#) manufacturer:

Other Similar products are found below :

[PCSD.06.A](#) [1002427-02](#) [1004796-01](#) [YC0010AAEVB](#) [1001013-02](#) [1005454-01](#) [1004795-01](#) [1002436-01](#) [RAC00024-EVB](#) [RAC00245-EVB](#) [ACR1004GC-EVB](#) [YSIS001AAEVBBA](#) [W3012-K](#) [W3006-K](#) [SR4C033-EVB-1](#) [AEK-LTE-CER](#) [IOT-K](#) [W3010-K](#) [LORA-K](#) [ISM-K](#) [ACAG0201-2450-EVB](#) [ACAG0301-15752450-EVB](#) [ACAG0301-1575-EVB](#) [ACAG1204-915-EVB](#) [ACAR0301-SW2-EVB](#) [ACAR3005-C2WB-EVB](#) [ACAR4008-S698-EVB](#) [ACR0301U-EVB](#) [ACR2005I4-EVB](#) [ACR4006X-EVB](#) [PRO-EB-450](#) [PRO-EB-453](#) [PRO-EB-476](#) [PRO-EB-550](#) [PRO-EB-609](#) [CH125-40](#) [A5645H-EVB-1](#) [A6111-U1](#) [M20047-EVB-1](#) [M20057-EVB-1](#) [M20071-EVB-1](#) [SR42I110-EVB-1](#) [SR42W001-U1](#) [SR4G008-EVB-1](#) [SR4G013-EVB-1](#) [SR4L034-EVB-4](#) [SR4L073-EVB-1](#) [SR4L096-EVB-1](#) [SR4L099-EVB-1](#) [SR4W089-EVB](#)
[-1](#)