





REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	RELEASE GOLD PLATED VERSIONS TO PRODUCTION	03SEP2019	AY	PS
	A1	RELEASE TIN PLATED VERSIONS TO PRODUCTION	14APR2020	AY	PS




CONTACT	2
HOUSING	1
DESCRIPTION	ITEM



-2 AS SHOWN



-8 AS SHOWN



1- -6 AS SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 23NOV2017 SOURAV DAS CHK 19JULY2018 SHARATH S APVD 19JULY2018 PRASHANTH S		 TE Connectivity			
DIMENSIONS: mm [inch]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME AMPMODU 2mm, BtB RECEPTACLE, SINGLE ROW, HORIZONTAL TH/THR			
		0 PLC ± 1 PLC ±0.2 2 PLC ±0.1 [0.008] 3 PLC ±0.1 [0.004] 4 PLC ± ANGLES ±2° FINISH					
MATERIAL SEE NOTES -		SEE NOTES -		WEIGHT -		SIZE A2	
				CAGE CODE 00779		DRAWING NO C-2307700	
						RESTRICTED TO -	
CUSTOMER DRAWING				SCALE 10:1		SHEET 1 OF 2	
						REV A1	

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

MATING SIDE
PLATING (FINISH)

TIN
△
2

“L” SOLDER TAIL
LENGTH

2.1[0.083]
2.8[0.110]
3.4[0.134]

BTB RECEPTACLE BASE NUMBERS

TAPE & REEL PKG
W/O CAP

TUBE PKG
W/O CAP

GOLD FLASH 0.1 μm
△
3

2.1[0.083]
2.8[0.110]
3.4[0.134]

2307703
2314935
A/R

2314928
2307701
2307702

GOLD 0.38 μm
△
4

2.1[0.083]
2.8[0.110]
3.4[0.134]

2307706
2314937
A/R

2314929
2307707
2307708

GOLD 0.76 μm
△
5

2.1[0.083]
2.8[0.110]
3.4[0.134]

2307709
2314938
A/R

2314930
2307710
2307711

* A/R- AVAILABLE ON REQUEST

48

50

25

2- -5

46

48

24

2- -4

44

46

23

2- -3

42

44

22

2- -2

40

42

21

2- -1

38

40

20

2- -0

36

38

19

1- -9

34

36

18

1- -8

32

34

17

1- -7

30

32

16

1- -6

28

30

15

1- -5

26

28

14

1- -4

24

26

13

1- -3

22

24

12

1- -2

20

22

11

1- -1

18

20

10

1- -0

16

18

9

-9

14

16

8

-8

12

14

7

-7

10

12

6

-6

8

10

5

-5

6

8

4

-4

4

6

3

-3

2

4

2

-2

DIM “F”

DIM “E”

N

FG PN

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm [inch]

0 PLC ±

1 PLC ±0.2

2 PLC ±0.1 [0.008]

3 PLC ± [0.004]

4 PLC ±

ANGLES ±2°

FINISH

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±0.2

2 PLC ±0.1 [0.008]

3 PLC ± [0.004]

4 PLC ±

ANGLES ±2°

FINISH

MATERIAL
SEE NOTES
-

SEE NOTES
-

DWN 23NOV2017
CHK SOURAV DAS
SHARATH S
APVD 19JULY2018
PRASHANTH S

PRODUCT SPEC
108-64040

APPLICATION SPEC
114-32186

WEIGHT
-

CUSTOMER DRAWING

TE Connectivity

NAME
AMPMODU 2mm, BtB RECEPTACLE,
SINGLE ROW, HORIZONTAL TH/THR

SIZE
A2

CAGE CODE
00779

DRAWING NO
©=2307700

RESTRICTED TO
-

SCALE
10:1

SHEET
2 OF 2

REV
A1

1471-9 (3/13)

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Board to Board & Mezzanine Connectors](#) **category:**

Click to view products by [TE Connectivity](#) **manufacturer:**

Other Similar products are found below :

[589158040000018](#) [FCN-230C068-11](#) [FCN-268F012-G/BD](#) [FCN-268F036-G/BD](#) [FCN-268M012-G/0D](#) [FCN-268M024-G/1D](#) [FCN-723J004/1](#) [MIS-048-01-F-D-DP-K](#) [832-10-034-10-001000](#) [FX4C-80S-1.27DSA](#) [FCN-214Q030-G/0](#) [FCN-234P048-G/0](#) [FCN-235D050-G/C](#) [210-93-314-41-105000](#) [2-22603-0](#) [MDF7-40DP-2.54DSA\(55\)](#) [AXG720047](#) [5031084030](#) [MIT-114-03-F-D-K](#) [55323-1519](#) [DF33-2P-3.3DSA\(24\)](#) [YFT-20-05-H-03-SB-K](#) [503308-3040](#) [026-6203-PDB](#) [027-6203-PDB](#) [069159702701000](#) [10123981-102LF](#) [101A10019X](#) [55650-0588-C](#) [68684-306](#) [75140-7012](#) [589159005003045](#) [194261-1](#) [FCN-268F024-G0D](#) [10124054-515LF](#) [68685-603](#) [8-1616154-3](#) [MIS-019-01-F-D](#) [589159005002045](#) [541371078](#) [IL-WX-10PB-HF-B-E1000E](#) [FCN-268M024-G/3D](#) [20021832-06016C1LF](#) [KX15-20KLDL-E1000E](#) [MDF7-16DP-2.54DSA\(55\)](#) [AXE810124](#) [FCN-214J100-G/0](#) [FCN-230C068-E/S](#) [AXE812124](#) [AXE816124](#)