




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	19MAR2021	J.W	E.J
	A1	ECN-22-164503	14 JUL2022	J.G	Z.Z



D



SECTION A-A





C



D

C

B



B

A

4	4	N/A	C3604	34P BUSHING (M3)	4
34	34	Au/Ni/Sn	COPPER ALLOY	34P PIN	3
1	1	RED	SILICON	34P SEAL	2
1		BLACK	PBT/PET	34P HOUSING UPPER LOCK CODING2	1
	1			34P HOUSING UPPER LOCK CODING1	
2388688-2	2388688-1	FINISH/COLOR	MATERIAL	DESCRIPTION	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN	19MAR2021	TE Connectivity	
			CHK	19MAR2021		
			APVD	19MAR2021	NAME	
			PRODUCT SPEC		SUPERSEAL 34P HEADER 180 DEGREE	
			APPLICATION SPEC	108-78140		
			WEIGHT	-	SIZE	RESTRICTED TO
			CUSTOMER DRAWING		A2	

1471-9 (3/13)

1

1

2

A1

D

C

B

A

CODING1
UPPER CLOK
PART NUMBER:2388688-1

CODING2
UPPER CLOK
PART NUMBER:2388688-2


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1	SEE SHEET 1		

D


C

B


A




MATING SIDE CODING1



MATING SIDE CODING2




PCB SIDE CODING1




PCB SIDE CODING2

RECOMMEND PCB LAYOUT
ONLY FOR CODING2



RECOMMEND COVER THROUGH-HOLE SIZE



SECTION A-A

- 1 MATERIAL: SEE TABLE LIST
- 2. WORKING TEMPERATURE RANGE: -40°C ~ +125°C(INCLUDING SELF-HEATING)
- 3. MINIMUM INSULATION RESISTANCE BETWEEN ADJACENT TERMINALS: 100MΩ AT DC500V.
- 4. NO DEFINED DIMENSIONS ACCORDING TO 3D MODEL.
- 5 THE SEALING CONTACT AREA ON COVER POLISHED, RECOMMEND ROUGHNESS Ra<1.6
- 6. RECOMMEND MOUNTING SCREW: M3XL(L=8MM+L1), L1=TICKNESS OF COVER
- 7. PLUG TE PART NUMBER: 4-1437290-0

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J.WANG 19MAR2021	TE Connectivity		
DIMENSIONS: mm		CHK R.CHEN 19MAR2021			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD F.JIANG 19MAR2021	NAME SUPERSEAL 34P HEADER 180 DEGREE		
0 PLC ±		PRODUCT SPEC	-		
1 PLC ±0.1		108-78140	SIZE		
2 PLC ±0.01		APPLICATION SPEC	CAGE CODE		
3 PLC ±0.001		-	DRAWING NO		
4 PLC ±0.0001		WEIGHT	RESTRICTED TO		
ANGLES ±		-	A2100779 C=2388688		
FINISH -		CUSTOMER DRAWING	SCALE 2:1 SHEET 2 OF 2 REV A1		

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) ***category:***

Click to view products by [TE Connectivity](#) ***manufacturer:***

Other Similar products are found below :

[892-18-020-10-001101](#) [0010894062](#) [0010977306](#) [0015477636](#) [0015917161](#) [0022104068](#) [0022121042](#) [0022155065](#) [0022281023](#) [57102-F02-](#)
[18ULF](#) [58102-G61-06LF](#) [582553-1](#) [0015911208](#) [01.001.5753.1](#) [0022285048](#) [0050291907](#) [02.125.8002.8](#) [CSU011177004](#) [622-0430](#) [622-](#)
[3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [65495-038](#) [65692-001LF](#) [65781-018](#) [65781-047](#) [65817-010LF](#)
[65817-015LF](#) [67095-007LF](#) [67601157](#) [68631-112](#) [68645-018](#) [699319-000](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-4853B](#) [707-5028](#)
[71.350.2428.0](#) [733-134](#) [733-162](#) [760-3052](#) [MHR-64-VUAL](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [801-43-002-10-013000](#)