

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION


20

© COPYRIGHT 20 BY -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	03MAY2016	BP	AR



MIL-SPEC	P/N	PLATING	SUPERSEDED PART NUMBER	CRIMP TOOL	POSITIONER	INSERTION/REMOVAL TOOL
M39029/1-101	2560-215-1631L	SELECT PLATED GOLD PER AS39029	M39029/1-16-20	M22520/1-01 M22520/2-01	M22520/1-02 RED M22520/2-11	M81969/14-10

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. PENKACIK 03MAY2016	 TE Connectivity	
DIMENSIONS: in		CHK JPF 03MAY2016		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD A. RENGIFO 03MAY2016	NAME CONTACT, PIN SZ 16 MATING END/SZ 20 WIRE BARREL ENVELOPE	
0 PLC ±.1 1 PLC ±0.1 2 PLC ±0.01 3 PLC ±0.002 4 PLC ±0.0005 ANGLES ±0.5		PRODUCT SPEC M39029/1-101	RESTRICTED TO	
MATERIAL CU ALLOY		APPLICATION SPEC -	SIZE A3	CAGE CODE -
FINISH SEE TABLE		WEIGHT -	DRAWING NO C-2560-215-1631L	SCALE 15.000
		CUSTOMER DRAWING	SHEET 1 OF 1	REV A

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Circular MIL Spec Contacts](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[006-1189-20](#) [71-VEAM](#) [809-023](#) [809-111](#) [811393-000](#) [850-014](#) [97-45-1418P-4\(0920\)](#) [97-45-1418S-4](#) [D-602-0106CS076](#) [AIC12-14P](#)
[AIC16-16PG](#) [AIC8-12P](#) [AIC8-8SG](#) [AIC8-8SRAD](#) [1495044-1](#) [BACC47CP2T](#) [BACC47DP4](#) [BACC47GC1A](#) [BACC47GN1](#) [16968/2C](#)
[241611N001](#) [2560-220-2031](#) [27964-38T112](#) [2M809-118](#) [97-67-36-20](#) [AIC12-16P](#) [AIC16-18PG](#) [AIC16-20PG](#) [AIC4-4PG](#) [CE102S-18](#)
[M39029/30-221](#) [M39029/77-430](#) [416-2020-088I](#) [MDM-21SH003B-F222](#) [BA-4120-50LD](#) [BACC47CN2](#) [BACC47CN3S](#) [BACC47GC3A](#)
[BACC47GD3A](#) [BACC47GM1](#) [52G137 REV A](#) [CB2-18-21PS](#) [D-602-1116CS2727](#) [D-602-1117CS2727](#) [419-2082-102](#) [419-2085-102](#) [419-](#)
[2087-001](#) [432703033601](#) [51003-16-55B2](#) [05-20-114-0-00-GM](#)