







P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			

AS SHOWN L000697-01
ANTENNA WITH REEL PACKAGING
REFERENCE ONLY




[FOR REFERENCE] DA PACKAGE

- NOTES.
- 1. UNLESS OTHERWISE SPECIFIED TOLERANCE PER EIA-481-D
 - 2. ORIENT PARTS AS SHOWN.
 - 3. MATERIAL : P.S 0.35mm THICKNESS, COLOR : BLACK, CONDUCTIVE
WHEN ALTERNATIVEMATERIAL (PET, P.P) USE, CONSULT ECO PRIOR TO MANUFACTURER.
 - 4. Q'TY/REEL : 500 PCS/REEL

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DW.PARK	04JUN2024	 TE Connectivity	
		CHK SJ.NOH	04JUN2024		
		APVD Ng.WEITAT	04JUN2024		
		PRODUCT SPEC 108-160936			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME Ceramic Patch ant, 2400-2500MHz, 12x12x4	
		0 PLC	±-	SIZE	
		1 PLC	±-	CAGE CODE	
		2 PLC	±-	DRAWING NO	
		3 PLC	±-	RESTRICTED TO	
		4 PLC	±-	A300779	
		ANGLES	±-	G=L000697	
MATERIAL SEE NOTE 3		FINISH	-	SCALE	
			-	2:1	
			-	SHEET	
			-	2 OF 4	
			-	REV	
			-	A	
			-		

ANTENNA WITH EVB ASS'Y




NOTES: UNLESS OTHERWISE SPECIFIED.

1. MATERIAL : SEE TABLE.
2. FINISH : EVB ASSEMBLY WITH SOLDER PROCESS

3. SILKSCREEN : WHITE EPOXY INK
A. TE LOGO, TE P/N
B. WORD REV., FOLLOWED BY THE LATEST REVISION, AS SHOWN/
C. 4 DIGITS DATE CODE : FIRST 2 DIGITS FOR THE WEEK CODE AND THE 2ND TWO
DIGITS FOR THE YEAR CODE.
OTHERS : SPECIFIED TE SOURCE CODE NUMBER DIGITS AS REQUIRED.


4. CONSULTS TE CONNECTIVITY DATA SHEET L000697
5. CONTACT TE CONNECTIVITY ENGINEERING PRIOR TO DESIGNING INTO AN APPLICATION.
6. PACKAGING: SECURELY VACUUM PACKAGED IN BULK.

VACUUM IN BULK		L000697-80
PACKAGING		PART NUMBER
1	SMA FEMALE CONNECTOR	3
1	EVB	2
1	L000696-01 ANTENNA	1
Q'TY (PC)	DESCRIPTION	ITEM


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DW. PARK 04JUN2024		 TE Connectivity	
DIMENSIONS: mm		CHK SJ. NOH 04JUN2024			
		APVD Ng. WEITAT 04JUN2024		NAME Ceramic Patch ant, 2400-2500MHz, 12x12x4 -	
		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±-			
MATERIAL SEE NOTE 1 -		PRODUCT SPEC 108-160936		RESTRICTED TO	
		APPLICATION SPEC -		SIZE CAGE CODE DRAWING NO	
		WEIGHT -		A300779 C-L000697	
		CUSTOMER DRAWING		SCALE 2:1 SHEET 3 OF 4 REV A	

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			


PACKAGING SPECIFICATIONS
FOR REFERENCE




ANTENNA WITH EVB ASS'Y




IPC/BAG
DRYING AGENT : IPC/BAG




10PCS/ZIPPER BAG




4 ZIPPER BAGS/BOX
40PCS/BOX
BOX SIZE : 154x263x96(MM)



4 BOXES



4 BOXES/CARTON
160PCS/CARTON
SIZE : 330x280x254(MM)



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	DW.PARK	04JUN2024	 TE Connectivity	
		CHK	SJ.NOH	04JUN2024		
		APVD	Ng.WEITAT	04JUN2024		
		PRODUCT SPEC	108-160936			
		APPLICATION SPEC	-		NAME	
		WEIGHT	-		Ceramic Patch ant, 2400-2500MHz, 12x12x4	
		CUSTOMER DRAWING			SIZE	CAGE CODE
					A3	00779
						DRAWING NO
						C=L000697
						RESTRICTED TO
						-
					SCALE	1:1
					SHEET	4 OF 4
					REV	A

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Antennas](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[108-00014-50](#) [66089-2406](#) [A09-F8NF-M](#) [RGFRA1903041A1T](#) [108-00016-050](#) [W1049B090](#) [WTL2449CQ1-FRSMM](#) [CPL9C](#) [0600-00060](#)
[GD53-25](#) [S9025PLSMF](#) [GPSCPMM00](#) [ANTDOM-05-01-WPM](#) [ANT-WP868SMA-Y](#) [CBNC58](#) [ABFT](#) [LP800NMOW](#) [NMOQ88C](#)
[NMOQB](#) [NMOQC](#) [ANT-GSMGPSPUKS](#) [60210](#) [60140](#) [ANT-8WPIG-UFL](#) [A21H0](#) [29000863](#) [29000848](#) [955179003](#) [22100003](#) [DL-T022-](#)
[2.4G](#) [DL-T023-4G](#) [T1-915M](#) [DL-T021-2.4GW](#) [DL-T021-2.4G](#) [BWGNSCNX16-6B1Y2L120](#) [BWGNSCNX15-15B1Y4L120](#) [DL-T023-4GW](#)
[J008-GSM](#) [3N0401LG-021](#) [KHA\(RG1.13\)-TX90B-IPEX](#) [KH-GPS181804-WY](#) [TX5800-JZ-5](#) [3E0402BK-004](#) [3E0301BK-006](#) [PRO-OB-440](#)
[ACR0301U](#) [BWGNSCNX9-9B1Y4L120](#) [BWGPSCNX20-20B1Y4L120](#) [DL-J023-5GB](#) [3N0101BK-017](#)