Industries &

Relays, Contactors & Switches > Relays > Military And Aerospace Relays > Mid-Range

Search by part # or keyword

FCA-125-10 **✓** ACTIVE

Mid-Range Relays, Contact Arrangement 1 Form C, SPDT, 1 C/O, Without Coil Suppression Diode, Tin-Lead Terminal Plating, 25A Contact Current Rating



TE Internal #: 1-1617748-6 TE Internal Description: FCA-125-10=M6106/19-010 Mil-Spec: M6106/19-010 Contact Arrangement: 1 Form C, SPDT, 1 C/O

Coil Suppression Diode: Without Auxiliary Contacts: Without Terminal Plating : Tin-Lead Contact Current Rating (A): 25

■ Add to List ▼ Similar Products Digital Datasheet

Compatible Parts & Tooling

Documents

Features

Product Compliance

Please review product documents or contact us for the latest agency approval information.

Terminal Configuration: Solder Pins Product Type Features

Relay Type: Military/Aerospace Mid-Range

Product Type: Relay

Enclosure Type : Hermetically Sealed

Coil Suppression Diode: Without Electrical Characteristics

Coil Voltage Rating (VDC): 28

Coil Resistance (Ω): 320

Contact Switching (Max): 115Vac (60-400Hz) Back EMF Suppression: Without

Coil Magnetic System: Polarized, Monostable


Shock: 200G's, 6ms Actuating System: DC Vibration: 30G's, 10 - 3000Hz


Contact Arrangement: 1 Form C, SPDT, 1 C/O Auxiliary Contacts: Without Terminal Plating: Tin-Lead

Contact Current Rating (A): 25 Contact Base Material: Silver Cadmium Oxide

Mechanical Attachment Mounting Type: Raised Vertical Flange Mount

Operating Temperature Range (°C): -70 - 125 Usage Conditions








Compatible Parts

Contact Features



Filter By Specification

Products with Similar Specs

TOP RESULTS ?

FCA-125-10 Mid-Range Relays, Contact Arrangement 1 Form C, SPDT, 1 C/O...

THIS PRODUCT

FCA-125-3601L Mid-Range Relays, Contact ment 1 Form C, SPDT, 1 C/O...

MID-RANGE RELAYS FCA-125-3603L Mid-Range Relays, Contact Arrangement 1 Form C, SPDT, 1 C/O...

MID-RANGE RELAYS FCA-125-5 CII FCA-125 Series, Mid-Range Relays, Contact Arrangement 1 Form C...

MID-RANGE RELAYS 9-1617788-1 Mid-Range Relays, Contact Arrangement 1 Form C, SPDT, 1 C/O...





In-Stock

Contact Arrangement : 1 Form C, SPDT, 1 C/O Coil Suppression Diode : Without Auxiliary Contacts : Without Terminal Plating : Tin-Lead Contact Current Rating : 25 A



In-Stock

Contact Arrangement : 1 Form C, SPDT, 1 C/O Coil Suppression Diode : Without Auxiliary Contacts : Without Terminal Plating : Tin-Lead Contact Current Rating : 25 A



In-Stock

Contact Arrangement : 1 Form C, SPDT, 1 C/O Coil Suppression Diode : Without Auxiliary Contacts : Without Terminal Plating : Tin-Lead Contact Current Rating : 25 A




Non-Stocked

Contact Arrangement : 1 Form C, SPDT, 1 C/O Coil Suppression Diode : Without Auxiliary Contacts : Without Terminal Plating : Tin-Lead Contact Current Rating : 25 A

Customers Also Bought

















X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for General Purpose Relays category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

PCN-105D3MH,000 59641F200 5JO-1000CD-SIL LY1SAC110120 5X827E 5X837F 5X840F 5X842F 5X848E LY2N-AC120 LY2S-AC220/240 LY2-US-AC120 LY3-US-AC120 LY4F-UA-DC12 LY4F-UA-DC24 LY4F-US-AC120 LY4F-US-AC240 LY4F-US-DC24 LY4F-VD-AC110 LYQ20DC12 M115C60 M115N010 M115N0150 6031007G 603-12D 61211T0B4 61212T400 61222Q400 61243B600 61243C500 61243Q400 61311BOA2 61311BOA6 61311BOA8 61311COA2 61311COA1 61311COA6 61311F0A2 61311QOA1 61311QOA4 61311T0D6 61311TOA6 61311TOA7 61311TOB3 61311TOB4 61311U0A6 61312Q600 61312T400 61312T600 61313U200