


Insulated extension bar 1/2"

190.4/2VDEDP



Profiles



Standards

DIN EN IEC 60900 (VDE 0682-201):2019-04; EN IEC 60900:2018

Product features

- material: premium chrome vanadium steel
- drop forged, entirely hardened and tempered
- head: chrome plated according to ISO 1456:2009
- made according to standard ISO 3316 and EN IEC 60900:2018

Advantages:

- double layered - double coloured insulation for additional safety
- controlled according to standard EN IEC 60900

Important!

- if second layer is visible, replace your insulated tool with a new one.



		L	D	
612205	1/2"	125	27	209
612204	1/2"	250	28	380

* Images of products are symbolic. All dimensions are in mm, and weight in grams. All listed dimensions may vary in tolerance.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Screwdrivers, Nut Drivers & Socket Drivers](#) ***category:***

Click to view products by [UNIOR](#) ***manufacturer:***

Other Similar products are found below :

[1406504-2](#) [30246](#) [5739](#) [6962](#) [9977](#) [EMF](#) [75340](#) [SF-TX 15X80 VDE](#) [SF-TX 20X80 VDE](#) [998](#) [LN25MMN](#) [P8N](#) [THS9N](#) [HS10N](#) [FSD1N](#)
[SDR11N](#) [320-9508-023 MS](#) [27627](#) [40462](#) [73508](#) [720LC/21](#) [861RI/6](#) [861TQS/1](#) [861TQS/10](#) [SF-TXH 25X100](#) [SF-TX 25X100 VDE](#) [SF-TX](#)
[30X100 VDE](#) [SZS 1,2X8,0 VDE](#) [SF-M BH](#) [SZS 0,8X4,0 VDE](#) [SZK PH3 VDE](#) [TSD-M SAC-BIT ADAPTER](#) [13010003](#) [18120001](#)
[05078635001](#) [05042750001](#) [05028161001](#) [233513M](#) [012560008](#) [012560013](#) [012560047](#) [012560009](#) [PGT040](#) [19101012](#) [012560001](#)
[012560054](#) [012560051](#) [233013M](#) [012560063](#) [223055M](#)