

# Take Your Music on the Road

L-shaped 3.5mm Audio Cable



90-degree  
Angled Connector

High-quality  
Audio

Aluminum  
Alloy Shell

Durable &  
Reliable

# Superior Construction



**Accurate Side  
Trimming**

Neater Appearance



**Aluminum  
Alloy Shell**

Wear Resistance &  
Anti-Scratch



**Gold-Plated  
Plug**

Oxidation-resistant

# Quality Sound

Get reliable and high-resolution audio free of static and sound cutting out. Enjoy your music with all the depth and detail it's meant to have.




Before Conversion

After Conversion

# Reliable & Durable


Enameled copper conductor minimizes sound deterioration and ensures more stable signal transmission.



Note: The internal structure is a rendering.  
Please refer to the actual product.

# Ergonomic L-shaped Design

The L-shaped cable design allows the cable to sit flush against the device, reducing strain on the cable and minimizing the risk of accidental damage or disconnection.



# Plug in to Play

Enjoy your music anywhere with a 3.5mm audio cable that connects your phone to your car speakers or home audio system.



## Perfect for the Car

Connects to AUX IN audio port



Dashboard




Under the  
Center Armrest



Glove  
Compartment

Note: If you are unsure where the AUX IN port is located in your car, contact the car manufacturer or dealership for assistance.

# Compatible with 3.5mm Devices



Phone



Car Stereo



Computer



Speaker



Tablet



Amplifier



MP3



Headphones

# Flexible & Tensile

TPE & cotton braided jacket features flexible, durable, and ensures long service life.




# Convenient to Use

A step-type plug design can be used without removing the phone case.



1.3mm



Note: All data are from Vention Lab.

# Single Cable Solution



**Laptop to Speaker** Surround Sound




**Phone to Speaker** High-Resolution Audio

# Simple & Elegant Classic Colors



Lake Blue



Midnight Black

---

# Specifications

Brand	Vention
Name	3.5mm Male to Male Audio Cable
Model	BAZ
Color	Blue/Black
Interface	3.5mm TRS Male
Electroplating Process	Gold-Plated
Conductor	Enameled Copper
Shell	Aluminum Alloy
Jacket	TPE + Cotton Braided
Wire Gauge	29AWG
OD	3.5mm
Length	0.5/1/1.5/2 m
Warranty	1 Year
Packing	PE Bag



Note: All data are from Vention Lab.  
Sizes above are manually measured. There might be slight tolerance.

---

# Packaging Display



Note: Packing difference exists for different meters or batches.  
The photo is for reference only.



## 3.5mm Male to Male Right Angle Audio Cable

Technical Features			
Color	Black		
Interface	3.5mm TRS Male/3.5mm TRS Male		
Connector Process	Gold-plated		
Transmission Direction	3.5mm TRS - 3.5mm TRS		
Feature:	L-shaped		
Conductor	Enameled copper		
Jacket	TPE + Cotton braided		
Casing	Aluminum alloy		
Cable OD	3.5mm±0.2mm		
Length	Art.No.	EAN Code	
0.5m	BAZBD	6922794774995	
1m	BAZBF	6922794775008	
1.5m	BAZBG	6922794775015	
2m	BAZBH	6922794775022	



Package Contents
3.5mm Male to Male Right Angle Audio Cable x 1

Packaging Information	
Packing Dimension	14*10cm(0.5-1m)/ 22*15cm(1.5m-2m)
Packing Weight	0.013kg(0.5m)/ 0.019kg(1m)/ 0.028kg(1.5m)/ 0.035kg(2m)
Carton Dimension	48*29*29cm
Carton Qty	700pcs(0.5m)/ 560pcs(1m)/ 350pcs(1.5m)/ 300pcs(2m)
Carton Weight	10kg(0.5m)/ 11.6kg(1m)/ 10.8kg(1.5m)/ 11.5kg(2m)

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Audio Cables](#) / [Video Cables](#) / [RCA Cables](#) category:*

*Click to view products by [Vention](#) manufacturer:*

Other Similar products are found below :

[LF3BLX](#) [30-513](#) [RCA05RCAB](#) [49152A-010-S2](#) [32HR07284X](#) [DB25M02XLRMXLRFY](#) [LF1BKX](#) [TT746](#) [LF10GNX](#) [427492100-3](#)  
[LF4BLX](#) [DISPLAYPORT TO VGA CABLE](#) [1700021831-01](#) [427528000-3](#) [TT2PX](#) [SPEAKER CABLE L=300mm](#) [1700000898](#) [Speaker](#)  
[cable](#) [594E3412000E](#) [32007-005500-200-RS](#) [BCLBH](#) [COQBG](#) [COJBI](#) [DAEBK](#) [51771](#) [39448](#) [VAS-A13-B200](#) [VAS-A13-B300](#) [A-CM-](#)  
[COMBO5-03](#) [CU426M](#) [CC-USB2R-AMLM-2M](#) [AK-USB-35](#) [CC-USB2B-CMCM60-1.5M](#) [DS-12850](#) [CU423](#) [AK-USB-40](#) [CTIWH](#)  
[CU4385](#) [CC-USB2B-AMCM-2M-WB2](#) [CU4283](#) [CU463](#) [DU320M](#) [CC-USB2R-AMCM-1M-W](#) [AK-AD-67](#) [KABGC22](#) [CU4371](#) [60195](#)  
[CU4281](#) [DS-12874](#) [CCB-MUSB2B-AMLM-6-S](#)