





Car Charger









Safe Driving Guarantee

Internal smart chip provides multiple safety measures to protect your vehicle and device



Over-current protection



Over-power protection



Over-voltage protection



Low-voltage protection




High-temperature protection




Short circuit protection





Tight Connection for Whole Trip

Reinforced anti-slip clip for tight connection and deal with multiple road conditions



For various bumpy road conditions




Mountain road



Emergency brake



Speed bumper



LED Indicator Light

Soft blue LED light for port searching in dark light







Charge your phone, tablet, car recorder and other digital devices



Product Parameters

Brand	Vention
Name	2-port USB A+A(18/18) Car Charger
	Mini-Style
Model	FFAH0
Color	Gray
Rated Input	DC 12V-24V
Rated Output(USB 1)	5V=3A, 9V=2A, 12V=1.5A (18W Max)
Rated Output(USB 2)	5V-3A, 9V-2A, 12V-1.5A (18W Max)
Multi-Output	5V=3.4A (17W)
Protocols	QC3.0, FCP, AFC, BC1.2, Apple2.4A
Interface Technics	Nickel-plated
Shell	Aluminum Alloy
Warranty	1 Year
Packing	Color Box



Note: All data are from Vention Lab. Sizes above are manually measured. There might be slight tolerance

Package Display



Note: Packing difference exists for different meters or batches.

The photo is for reference only

Length	Art.No.	EAN Code
/	FFAH0	6922794761636



Package Contents

Car Charger x 1

Packaging Information		
Packing Dimension	cm	
Packing Weight	kg	
Carton Dimension	48*29*30cm	
Carton Qty	120pcs	www.ventioncable.com
Carton Weight	4.5kg	
Package	Color box	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Vention manufacturer:

Other Similar products are found below:

42154 42161 42437 42444 42468 74346 AABIF AABIG AABIH AABII AABIJ AABIK AABIL AACBE AACBF AACBG AACBH AACBI AACBL AACBL AAGBD AAGBF AAGBG AAGBH AAGBI AAGBJ AAGBL AAGBN AAHBF AAHBH AAHBI AAHBJ AAIBD AAIBF AAIBG AAIBH AAIBI AAKBF AAKBG AAKBH AAKBI AAKBJ AAKBK AAKBL AAMBF AAMBG AAMBH AAMBI AAMBJ AAMBJ AAMBK AANBF