



27W

Colorful Braided Cable

Supports fast charging for iPhone 8-14 series.



Durable
and
Stylish



Stable
without Pop-ups



PD27W/20W
Fast
Charging




Durable and Stylish

Flexible and wear-resistant braided cable.

- **Anti-Bending**
10000+ Bend Tests
- **Wear-resistant**
Long-lasting & No-fray

Note: All data are from Vention Lab.



Stable 27W PD Fast Charging

Backward compatible with PD 20W/18W
and supports iPhone 8-14 Series.



Vention Cable
Strong compatibility
without pop-ups



Previous-generation Cable
Occasional pop-ups
damage device

3A High Current

Charge your devices at high speed.



Charge iPhone 14 Pro in 30 minutes


Vention

60%



Ordinary 1A cable

16%



Note: All data are from Vention Lab.

Your Tablet's Perfect Match

Pair with Vention PD charger, fast full charge tablet.



98% 145 minutes
To fully charge iPad Pro 12.9"



Note: All data are from Vention Lab.

Extra Safety by Design

Advanced chips with overvoltage protection ensure safe data and power delivery.



Stable
Current



Overvoltage
Protection




Safe &
Reliable Power



Note: The internal structure is a rendering.
Please refer to the actual product.

Solid Construction

Tinned copper conductors and aluminum foil shielding design effectively protect against EMI interference and ensure more stable signal transmission.



Note: The internal structure is a rendering.
Please refer to the actual product.

Flexible & Crack-Resistant



Bend Tests

30000+

Aluminum Alloy + PVC Jacket
Wear-resistant,
Corrosion Resistance



Fully Enclosed Mesh Tail
Bend-resistant, Durable



Note: All data are from Vention Lab.

Use CarPlay with Your iPhone

A smarter and safer way to use your iPhone in the car.



Premium Charge and Sync

Fast charge or easily sync music and photos to your iPhone or iPad with our reliable USB-A to Lightning cable.

480M bps

Note: All data are from Vention Lab.

Universal Compatibility

Lightning



iPhone 8-14 models



iPad mini/iPad Air/iPad Pro



AirPods/AirPods Pro

USB-C



Charger




Car Charger




Power Bank

Note:

Requires PD charger for use.
Please verify your charger interface
before purchasing.



USB-C



USB-A

Perfect Match

Rainbow fast charging cable.



Specifications

Brand	Vention
Name	USB 2.0 Type-C Male to Lightning Male 3A Cable
Model	LAL
Color	Black/White/Blue/Pink
Interface	USB-C Male/Lightning Male
Electroplating Process	Nickel-Plated
Transmission Speed	480Mbps
Conductor	Tinned Copper
Shell	Aluminum Alloy + PVC
Shielding	Aluminum Foil
Jacket	PVC + Nylon Braided
Length	1 m/2 m
Output Current	3A (Max)
Warranty	1 Year
Packing	Color Box



Note: All data are from Vention Lab.
Sizes above are manually measured.
There might be slight tolerance.

Packaging Display



Note: Packing difference exists for different meters or batches.
The photo is for reference only.



Lightning Cable

Technical Features

Color	Black/ Pink/ Blue / White
Interface	USB-C/Lightning
Connector Process	Nickel-Plated
Transmission Direction	USB-C - Lightning
Jacket	PVC + Nylon braided
Material	Aluminum alloy
OD	3.8mm
Data transfer rates	480Mbps
Output current	3A Max
Rated power	27W Max

Length	Art.No.	EAN Code
1m	LALBF (Black)	6922794783560
1m	LALPF (Pink)	6922794783621
1m	LALSF (Blue)	6922794783607
1m	LALWF (White)	6922794783584
2m	LALBH (Black)	6922794783577
2m	LALPH (Pink)	6922794783638
2m	LALSH (Blue)	6922794783614
2m	LALWH (White)	6922794783591



Package Contents

Lightning Cable x 1

Packaging Information

Packing Dimension	17*8*2cm
Packing Weight	0.048kg(1m)/ 0.07kg(2m)
Carton Dimension	52.5*46*27.5cm
Carton Qty	195pcs
Carton Weight	10.36kg(1m)/ 14.65kg(2m)

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Audio Cables](#) / [Video Cables](#) / [RCA Cables](#) category:

Click to view products by [Vention](#) manufacturer:

Other Similar products are found below :

[LF3BLX](#) [30-513](#) [28-511-0](#) [RCA05RCAB](#) [427493000-3](#) [49152A-010-S2](#) [32HR07284X](#) [CAB-LFH-V16A16S0](#) [DB25M02XLRMXLRFY](#)
[LF1BKX](#) [TT746](#) [LF10GNX](#) [427492100-3](#) [LF4BLX](#) [DISPLAYPORT TO VGA CABLE](#) [1700021831-01](#) [427528000-3](#) [TT2PX](#) [SPEAKER](#)
[CABLE L=300mm](#) [1700000898](#) [Speaker cable](#) [594E3412000E](#) [32007-005500-200-RS](#) [BCLBH](#) [COQBG](#) [COJBI](#) [DAEBK](#) [51771](#) [39448](#)
[VAS-A13-B200](#) [VAS-A13-B300](#) [A-CM-COMBO5-03](#) [CU426M](#) [CC-USB2R-AMLM-2M](#) [AK-USB-35](#) [CC-USB2B-CMCM60-1.5M](#) [DS-](#)
[12850](#) [CU423](#) [AK-USB-40](#) [CTIWH](#) [CU4385](#) [CC-USB2B-AMCM-2M-WB2](#) [CU4283](#) [CU463](#) [DU320M](#) [CC-USB2R-AMCM-1M-W](#) [AK-](#)
[AD-67](#) [KABGC22](#) [CU4371](#) [60195](#)