

USB-C to HDMI/VGA Converter

Large screen
extension



HDMI+VGA
Video ports


4K/1080P
HD image

Driver free
Plug&Play

Double modes
Extension/
Mirrored

HDMI+VGA 2-in-1


Support single interface output or two ports
simultaneous connection, convenient
for business demonstration



Note: resolution of two interface simultaneous
output is 1080P@60Hz

USB-C Phone Connect to TV

HDMI devices connect to large screen with audio
and video signal simultaneous output



Efficient Business Demonstration

VGA interface connect to projector, convenient business display



Mobile Phone Content Synchronization

Turns your phone to a computer, mobile office in any places



FHD/UHD Picture Quality


HDMI supports 4K@30Hz resolution, VGA supports 1080P@60Hz resolution



Note: All data are from Vention Lab

Design for Multiple Devices

Applicable to USB-C interface PC/phone/tablet connect to display devices with HDMI or VGA interface



Note: this product is directional, bi-direction transmission is not supported

Intelligent Driver Free

Compatible with different systems with
no need to install drivers



Vista



windows7



windows8



windows10



Linux




Mac OS

Explore Different Modes

Mirror mode

Show same image in large screen



Extension mode


Show different images, work as well as play



No Ghosting and Splash

With high performance chip for
HD signal conversion

Chip: AG9320



Note: The internal structure is a rendering,
please in kind prevail

Aluminum Alloy Case

Anodizing surface and aluminum alloy shell for premium heat dissipation and antioxidant ability



Anti
fingerprint



Durable
and
tough




Excellent
heat
dissipation



Small and Portable

Tiny size, travelling light without burden



Product Parameters

Brand: Vention	Chip: AG9320
Name:	Shielding:
USB-C to HDMI/VGA Converte	Aluminum Foil+Metal Braided+GND
Model: TDIHB	Jacket: TPE
Color: Gray	AWG: 34AWG+26AWG
Interface: USB-C/HDMI/VGA	OD: 4.2mm
Interface Technics: Nickel-plated	Length: 0.15m
Conductor: Tinned-copper	Warranty: 1 Year
Shell: Aluminum Alloy	Packing: Color Box



Note: All data are from Vention Lab.
Sizes above are manually measured. There might be slight tolerance

FAQ

Q

Any matters need attention for iPad Pro connection?

A

iPad Pro support 1080P mirror mode connection, considering picture size of iPad is 4:3, image cannot support full screen on 16:9 devices

Q

Does this product support Thunderbolt 3?

A

Yes



USB-C to HDMI/VGA Converter

Technical Features

Color	Gray
Interface	USB-C Male/HDMI Female/VGA Female
Connector Process	Nickel-Plated
Casing	Aluminum alloy
Transmission direction	USB-C to HDMI/VGA
Resolution	4K@30Hz (HDMI)/1080p@60Hz (VGA)/1080p@60Hz (Simultaneous output)

Length	Art.No.	EAN Code
0.15m	TDIHB	6922794756205



Package Contents

USB-C to HDMI/VGA Converter x 1

Packaging Information

Packing Dimension	17.25*9.25*2.75cm
Packing Weight	0.09kg
Carton Dimension	40*30*30cm
Carton Qty	60pcs
Carton Weight	6.4kg

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Audio Cables](#) / [Video Cables](#) / [RCA Cables](#) category:

Click to view products by [Vention](#) manufacturer:

Other Similar products are found below :

[LF3BLX](#) [30-513](#) [RCA05RCAB](#) [49152A-010-S2](#) [32HR07284X](#) [DB25M02XLRMXLRFY](#) [426052000-3](#) [LF1BKX](#) [TT746](#) [LF10GNX](#)
[427492100-3](#) [LF4BLX](#) [DISPLAYPORT TO VGA CABLE](#) [1700021831-01](#) [427528000-3](#) [TT2PX](#) [SPEAKER CABLE L=300mm](#)
[1700000898](#) [Speaker cable](#) [594E3412000E](#) [32007-005500-200-RS](#) [BCLBH](#) [COQBG](#) [COJBI](#) [DAEBK](#) [51771](#) [39448](#) [VAS-A13-B200](#) [VAS-](#)
[A13-B300](#) [A-CM-COMBO5-03](#) [CU426M](#) [CC-USB2R-AMLM-2M](#) [AK-USB-35](#) [CC-USB2B-CMCM60-1.5M](#) [DS-12850](#) [CU423](#) [AK-USB-](#)
[40](#) [CTIWH](#) [CU4385](#) [CC-USB2B-AMCM-2M-WB2](#) [CU4283](#) [CU463](#) [DU320M](#) [CC-USB2R-AMCM-1M-W](#) [AK-AD-67](#) [KABGC22](#)
[CU4371](#) [60195](#) [CU4281](#) [DS-12874](#)