GWDR M40-NP

Similar to illustration

In addition to cable glands for a wide range of applications, the product portfolio is rounded off by plugs, pressure compensation elements, adaptors and the corresponding accessories such as locknuts, sealing rings, flat washers and earthing rings.

General ordering data

Version	GWDR NP (flat gasket - neoprene), Sealing ring, M 40, Neoprene
Order No.	1736270000
Type	GWDR M40-NP
GTIN (EAN)	4008190956066
Qty.	20 pc(s).

Creation date June 25, 2024 1:12:11 PM CEST

GWDR M40-NP

Technical data

Dimensions and weights

Height	1.5 mm	Height (inches)	0.059 inch
Net weight	2.3 g		

Temperatures

Operating temperature	-40 °C...100 °C		

General information

Cable glands	M 40	Diameter of sealing ring	52 mm
External thread	M 40	Halogen	Yes
Inside diameter D2	40 mm	Internal thread	M 40
Material	Neoprene	Number of wires	1
O.D.	52 mm	Operating temperature range, max.	100 °C
Operating temperature range, min.	-40 °C	Pitch of thread	1.5 mm
Sealing	Neoprene	Silicone	No
Thickness	1.5 mm		

Classifications

ETIM 6.0	EC001181	ETIM 7.0	EC001181
ETIM 8.0	EC001181	ETIM 9.0	EC001181
ECLASS 9.0	27-43-03-19	ECLASS 9.1	27-14-44-90
ECLASS 10.0	27-43-03-19	ECLASS 11.0	27-43-03-19
ECLASS 12.0	27-43-03-19	ECLASS 13.0	27-43-03-19

Environmental Product Compliance

REACH SVHC	/

Approvals

ROHS	Conform

Downloads

Engineering Data	CAD data – STEP
Catalogues	Catalogues in PDF-format
Brochures	

Creation date June 25, 2024 1:12:11 PM CEST

Catalogue status 14.06.2024 / We reserve the right to make technical changes.

2

GWDR M40-NP

Drawings

D1
D2
S

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Conduit Fittings & Accessories *category:*

Click to view products by Weidmuller *manufacturer:*

Other Similar products are found below :

LT20090 LTB15045 LTB20045 LTB3890 CGE195 C2016-P C2012-P 55502675 2676 302-TB 655241-000 C17 TMC165-BR RBDP-BLA-30D346U CN21 SRN21 3405B 4975 VC12516 HFC-180-8 RC156-0500 DM0523-1/2A 1035A DMS0250-1A DMS0313-1A 1040A 1050A R1/8A DMPC0490-1/2A DMPC0521-1/2A DMPC0552-1/2A 1070A R1/2A E1-7/8B 061A R3/4A A2-1/2A A2-1/4A DM1125-1A TS32B DM2000-1/2A BL12A DM1750-1A 3001A DM2000-1A Y1/8A E3/8A Y1/8B 1015A 1000A