

# WXPP

Product no.: T0052922699



## Benefits

- › Intelligent Pico soldering iron 40 W, 12 V
- › For very small components
- › For miniature works under a microscope
- › For WX station
- › Parameter memory such as standby temperatures, automatic switch-off time
- › Reduces total costs of ownership due to motion sensor
- › RTP solder tips can be changed quickly and easily
- › Active Tip (Cartridge)-System allows exchange of soldering tip despite a hot soldering iron
- › Extremely short heating time



### Technical Data

Active Tip heating element technology	on
Power Response heating element technology	---
Silver Line heating element technology	---
Voltage	12 V
Power	40 W
Tip range	RTP
Supply unit	---
WX-compatible	on
Temperature range °C	100-450
Temperature range °F	200-850
Heating time	3
Safety rest	WSR 208
Safety rest (optional)	---
Barrel	---
Integrated direct extraction	---

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Soldering & Desoldering Stations](#) category:*

*Click to view products by [Weller](#) manufacturer:*

Other Similar products are found below :

[WTL1000-1](#) [700-3051-ESD](#) [T0058758721N](#) [T0051516199N](#) [WXD2010N](#) [AT-980E](#) [DDSE-2QC](#) [T0052923099](#) [202212](#) [TS1200D](#)  
[T0052922699](#) [5100-0092](#) [T0050100499](#) [WELPB102](#) [700-3057](#) [17100-150](#) [17100-200](#) [17100-300](#) [17401](#) [17502](#) [17701F](#) [P-907](#) [MT-687](#)  
[SBK8586](#) [5SI-216N-K](#) [5SI-216N-2.4D](#) [SS-593H](#) [ECC95650EU](#) [5SI-216N-I](#) [5SI-216N-3.2D](#) [quick236](#) [969A](#) [960-K](#) [960-3C](#) [BGA0001-S](#)  
[BGA0009-S](#) [cs-reflo-05](#) [CS-REFLO-06](#) [ECC154500EU](#) [ECC105279EU](#) [ECC169571EU](#) [ECC169572EU](#) [ECC86945EU](#) [ECC87245EU](#)  
[ECC87924EU](#) [ECC87926EU](#) [ECC89232EU](#) [ECC89579EU](#) [ECC90004EU](#) [ECC90005EU](#)