



**White DC Power Cable 1.5m long**  
**Plug 2.5x5.5 mm – angled**  
**Socket 2.5x5.5 mm**  
 flexible, multiwire conductors,  
 stranded of bare copper wires  
**2x0.5mm<sup>2</sup>**



Model	A25-C25-T050-150WH
DC Plug (output)	<b>2.5x5.5mm, angled</b> (round plug, outer diameter 5.5mm, inner diameter 2.5mm)
DC Socket (input)	<b>2.5x5.5mm, straight</b> (round socket, outer diameter 2.5mm, inner diameter 5.5mm)
Construction	flexible, multiwire conductors, stranded of bare annealed copper wires
Cable cross section	1.7 x 3.6mm
Wire diameter	<b>2x0.50mm<sup>2</sup></b>
Nominal voltage	0-100V
Rated current	1.5A
Length	150cm
Jacket	PVC
Color	White
Inner conductor	Cu
Insulation resistance	>100MΩ @ 500VDC
Insulation thickness	0.4mm
Allowable operation temperature	-20°C to 70°C
Maximum wire resistance	39.0 Ω/km @ 20°C



## Marking System

model:

**A25-C25-T050-150WH**

1	2	3	4	5	6	7	8
A	25	-	C 25	-	T	050	- 150 WH

<b>1</b>	<b>Input / Output (side 1)</b>	<p>P - straight plug</p> <p>A - angled plug</p> <p>C - socket</p>
<b>2</b>	<b>Plug / Socket dimensions (side 1)</b>	<p>07 - 0.7mm / 2.35mm</p> <p>13 - 1.3mm / 3.5mm</p> <p>40 - 1.7mm / 4.0mm</p> <p>48 - 1.7mm / 4.8mm</p> <p>55 - 1.7mm / 5.5mm</p> <p>21 - 2.1mm / 5.5mm</p> <p>25 - 2.5mm / 5.5mm</p>
<b>3</b>	<b>Input / Output (side 2)</b>	<p>P - straight plug</p> <p>A - angled plug</p> <p>C - socket</p>
<b>4</b>	<b>Plug / Socket dimensions (side 2)</b>	<p>T - tinned terminals</p> <p>07 - 0.7mm / 2.35mm</p> <p>13 - 1.3mm / 3.5mm</p> <p>40 - 1.7mm / 4.0mm</p> <p>48 - 1.7mm / 4.8mm</p> <p>55 - 1.7mm / 5.5mm</p> <p>21 - 2.1mm / 5.5mm</p> <p>25 - 2.5mm / 5.5mm</p>
<b>5</b>	<b>cable type</b>	<p>C - YTLYek (coaxial)</p> <p>T - TLYP</p> <p>O - YTLY</p>
<b>6</b>	<b>wire diameter</b>	<p>035 - 0.35mm<sup>2</sup></p> <p>050 - 0.5mm<sup>2</sup></p> <p>075 - 0.75mm<sup>2</sup></p> <p>100 - 1.0mm<sup>2</sup></p>
<b>7</b>	<b>length</b>	<p>050 - 500mm</p> <p>150 - 1500mm</p>
<b>8</b>	<b>color</b>	<p>BK - black</p> <p>WH - white</p> <p>TR - transparent</p>

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [DC Power Cords](#) category:*

*Click to view products by [WEST POL](#) manufacturer:*

Other Similar products are found below :

[2R6006A20A120](#) [172-4000](#) [172-4101](#) [2J-1865A](#) [2R7006A20A120](#) [426055400-3](#) [96CB-POWER-B-1.8M2](#) [216603-0037](#) [BXC-10567](#) [172-2555](#) [32102-022800-200-RS](#) [DC.CAB.8010.0020](#) [DC.EXT.8610.0100](#) [DC.CAB.8010.0150](#) [DC.CAB.8410.0300](#) [DC.EXT.8610.0500](#) [DC.CAB.8410.0150](#) [DC.CAB.8610.0300](#) [DC.CAB.8610.0200](#) [DC.CAB.8210.0020](#) [CEXWD](#) [DC.CAB.8610.0500](#) [DC.CAB.8010.0300](#) [DC.CAB.8210.0300](#) [DC.EXT.8210.0200](#) [DC.CAB.8410.0500](#) [DC.CAB.8010.0200](#) [DC.CAB.8010.0500](#) [DC.CAB.8610.0150](#) [CEXWF](#) [CEYWG](#) [P25-TT-T050-050WH](#) [P48-C21-C100-050WH](#) [S25-TT-T050-500WH](#) [A21-TT-T050-050WH](#) [P55-TT-C100-050WH](#) [P21-C21-C100-300WH](#) [A25-C21-C100-150WH](#) [A25-C25-C100-200WH](#) [P40-TT-T050-150WH](#) [S21-TT-C100-200WH](#) [P55-TT-T035-050WH](#) [P48-TT-T035-050WH](#) [P13-TT-T035-150WH](#) [A25-C25-T050-200WH](#) [S21-TT-T050-300WH](#) [P55-C21-C100-050WH](#) [A21-TT-C100-050WH](#) [A21-TT-T035-150WH](#) [S21-TT-T050-025WH](#)