












广东星坤科技股份有限公司

ΔX		日期
ΔX		日期
ΔX		日期
MARK		

DESCRIPTION

REVISIONS

www.helloxkb.com www.helloxkb.cn www.xk-dg.cn

DATE

REVISED

APPROVED

UNSPECIFIED TOLERANCES










ANGULAR	±5°
L ≤ 4	±0.2
4 < L ≤ 16	±0.3
16 < L ≤ 63	±0.4
L > 63	±0.5

XKLB

XKB INDUSTRIAL PRECISION CO., LIMITED

DSND		SCALE: N/A	MODEL TYPE:
DWN		VIEW:	PART NO.: X1302WVS-67XX-LPV01
CHKD		UNIT: mm/in	DWG NO.: X-X1302WVS-67XX-LPV01
APPD		SIZE: A4	WEIGHT
			SHEET 1/1
			REVISION A0

文件工程章












MARK	DESCRIPTION	DATE	REVISED	APPROVED	UNSPECIFIED TOLERANCES
Δx					ANGLAR ±5°
Δx					L ≤ 4 ±0.2
Δx					4 < L ≤ 16 ±0.3
Δx					16 < L ≤ 63 ±0.4
Δx					L > 63 ±0.5
REVISIONS					
www.helloxkb.com www.helloxkb.cn www.xk-dg.cn					

XKLB

XKB INDUSTRIAL PRECISION CO., LIMITED

DSND		SCALE: N/A	MODEL TYPE:
DWN		VIEW:	PART NO.: X1302WVS-67XX-LPVC
CHKD		UNIT: mm/in	DWG NO.: X-X1302WVS-67XX-LPV01
APPD		SIZE: A4	WEIGHT
			SHEET 1/1
			REVISIC A0



广东星坤科技股份有限公司




生效

日期

文件工程章





DESCRIPTION	DATE	REVISED	APPROVED	UNSPECIFIED TOLERANCES
REVISIONS				
www.helloxkb.com www.helloxkb.cn www.xk-dg.cn				

DSND	SCALE: N/A	MODEL TYPE:
DWN	VIEW:	PART NO.: X1302WVS-67XX-LPV01
CHKD	UNIT: mm/in	DWG NO.: X-X1302WVS-67XX-LPV01
APPD	SIZE: A4	WEIGHT SHEET REVISION 1/1 A0
XKB INDUSTRIAL PRECISION CO.,LIMITED		



SECTION A-A

SECTION B-B



RECOMMENDED OPERATING FLOW:
MATE: 1
UNMATE: 2

广东星坤科技股份有限公司

Δ 生		日期
Δ 数		日期
Δ 数		日期


文件工程章

DESCRIPTION	DATE	REVISED	APPROVED
REVISIONS			

ANGLAR	$\pm 5^\circ$
$L \leq 4$	± 0.2
$4 < L \leq 16$	± 0.3
$16 < L \leq 63$	± 0.4
$L > 63$	± 0.5
UNSPECIFIED TOLERANCES	

XKLE

DSND		SCALE: N/A	MODEL TYPE:		
DWN		VIEW: 	PART NO.:		
CHKD		UNIT: mm/in	X1302WVS-67XX-LPV01		
APPD		SIZE: A4	DWG NO.:		
L. PRECISION CO., LIMITED			X-X1302WVS-67XX-LPV01		
			WEIGHT	SHEET	REVISION
				1/1	A0



广东星坤科技股份有限公司





Δ# Δ# Δ#

MARK DATE

文件工程章

REVISIONS				UNSPECIFIED TOLERANCES	
DATE	REVISED	APPROVED	DESCRIPTION	ANGLAR	±5°
				L ≤ 4	±0.2
				4 < L ≤ 16	±0.3
				16 < L ≤ 63	±0.4
				L > 63	±0.5

XKIB	DSND		SCALE: N/A	MODEL TYPE:	
	DWN		VIEW:	PART NO.: X1302WVS-67XX-LPV01	
	CHKD		UNIT: mm/in	DWG NO.: X-X1302WVS-67XX-LPV01	
	APPD		SIZE: A4	WEIGHT	SHEET
XKB INDUSTRIAL PRECISION CO.,LIMITED				1/1	REVISION A0



广东星坤科技股份有限公司

Δ 建	日期
Δ 效	
Δ 审	
MARK	

文件工程章

DESCRIPTION

REVISIONS

DATE

REVISED

APPROVED

UNSPECIFIED TOLERANCES

ANGULAR	±5°
L ≤ 4	±0.2
4 < L ≤ 16	±0.3
16 < L ≤ 63	±0.4
L > 63	±0.5

XKLB

XKB INDUSTRIAL PRECISION CO., LIMITED

DSND	SCALE: N/A	MODEL TYPE:
DWN	VIEW:	PART NO.: X1302WVS-67XX-LPV01
CHKD	UNIT: mm/in	DWG NO.: X-X1302WVS-67XX-LPV01
APPD	SIZE: A4	WEIGHT
		SHEET 1/1
		REVISION A0

NOTES 注释:

1. MATERIAL材料:

1.1 HOUSING外壳: THERMOPLASTIC, HIGH TEMP.,
UL94V-0;
COLOR: BLACK.

1.2 CONTACTS触点: COPPER ALLOY.

1.3 FITTING NALL装配钉: COPPER ALLOY.

2. FINISH饰面:

2.1 CONTACT触点:

[SEE TABLE] GOLD PLATING ON THE CONTACT AREA.

GOLD FLASH PLATING ON THE SOLDERING AREA.

1.27um~2.54um [50u"~100u"] MIN. NICKEL UNDERPLATING OVERALL

2.2 FITTING NAIL装配钉:

2.54um~5.08um [100u"~200u"] MIN. MATTE-TIN PLATING

ON THE SOLDERING AREA

1.27um~2.54um [50u"~100u"] MIN. NICKEL UNDERPLATING OVERALL.

X1302 W V S - 67 X X - LP V01
① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨

- ①Series Number
- ②Terminal form: W-Wafer
- ③Welding Board Angle : V-Stright Angle 180°
- ④Welding Way:S-SMT
- ⑤No.of Pins: XX-67 PIN
- ⑥HEIGHT: A 3.2mm;B 3.5mm;C 4.2mm;
D 5.5mm;E 6.7mm;F 8.5mm
- ⑦KEY ID: A,B,C,D,E,F,G,H,J,K,L,M
- ⑧Plastic material: LP-LCP UL94V-0
- ⑨Contact Plating:V01-Gold Flash
V15 -Gold 15"u"
V30 -Gold 30"u"



1.375	1.125	1.5	14.0	2.0	14.0	6.125	M
1.375	1.125	2.5	13.0	3.0	13.0	5.125	L
1.375	1.125	3.5	12.0	4.0	12.0	4.125	K
1.375	1.125	4.5	11.0	5.0	11.0	3.125	J
1.375	1.125	5.5	10.0	6.0	10.0	2.125	H
1.375	1.125	6.5	9.0	7.0	9.0	1.125	G
DIM. G	DIM. F	DIM. E	DIM. D	DIM. C	DIM. B	DIM. A	KEY ID



1.125	1.375	9.5	6.0	9.5	6.5	-1.625	F
1.125	1.375	10.5	5.0	10.5	5.5	-2.625	E
1.125	1.375	11.5	4.0	11.5	4.5	-3.625	D
1.125	1.375	12.5	3.0	12.5	3.5	-4.625	C
1.125	1.375	13.5	2.0	13.5	2.5	-5.625	B
1.125	1.375	14.5	1.0	14.5	1.5	-6.625	A
DIM. G	DIM. F	DIM. E	DIM. D	DIM. C	DIM. B	DIM. A	KEY ID

广东星坤科技股份有限公司

DATE

日期

ΔX

ΔY

ΔZ

文件工程章

REVISIONS

www.helloxkb.com www.helloxkb.cn www.xk-dg.cn

					ANGLAR	±5°
					L≤ 4	±0.2
					4<L≤ 16	±0.3
					16<L≤ 63	±0.4
					L> 63	±0.5
MARK	DATE	DESCRIPTION	DATE	REVISED	APPROVED	UNSPECIFIED TOLERANCES

XKLB

XKB INDUSTRIAL PRECISION CO.,LIMITED

DSND

DWN

CHKD

APPD

SCALE: N/A

VIEW:

UNIT: mm/in

SIZE: A4

MODEL TYPE:













PART NO.: X1302WVS-67XX-LPV01

DWG NO.: X-X1302WVS-67XX-LPV01

WEIGHT

SHEET 1/1

REVISION A0



广东星坤科技股份有限公司

生 效	Δ^x		
	Δ^x		日
	Δ^x		期
	MARK		DES

文件工程章

				ANGULAR	±5°
				L ≤ 4	±0.2
				4 < L ≤ 16	±0.3
				16 < L ≤ 63	±0.4
DESCRIPTION	DATE	REVISED	APPROVED	L > 63	±0.5
REVISIONS				UNSPECIFIED TOLERANCES	
www.helloxkb.com www.helloxkb.cn www.xk-dg.cn					

XKLE

XKB INDUSTRIAL PRECISION CO.,LIMITED

DSND		SCALE: N/A	MODEL TYPE:		
DWN		VIEW: 			
CHKD		UNIT: mm/in	DWG NO.: X-X1302WVS-67XX-LPV01		
APPD		SIZE: A4			
			WEIGHT	SHEET 1/1	REVISION A0

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [I/O Connectors](#) category:

Click to view products by [XKB](#) manufacturer:

Other Similar products are found below :

[571763P](#) [59811-0000](#) [67-06P12-60SX](#) [D20419-211](#) [75-107636-15G](#) [PCR-E20LMD-SL+](#) [PCR-E36PM](#) [PCS-XE26LKA](#) [G38A71314B](#)
[1571250010](#) [157-22500-3](#) [B1005A1-001-N](#) [192991-0703](#) [FCN-260C024-AL0](#) [2000314-1](#) [200331-1](#) [PCS-E28FS+](#) [PCS-XE26SLFDT+](#)
[G730VID08BDC24](#) [HDR-E14MSG1+](#) [54182-0605](#) [38113800006](#) [DP3AR020WQ1R200](#) [DRA-26PC-F0R](#) [Z4.102.0680.0](#) [500-1040](#) [ZP-](#)
[4008-66L](#) [0760665001](#) [5554841-1](#) [0756405005](#) [10099439-003C-TRLF](#) [226-0348-000](#) [10137239-0011LF](#) [70.060.1028.0](#) [109029-ZZ](#) [GT1-](#)
[DA04CST](#) [231-303](#) [FCN-260C024-C/S3](#) [FCN-261R024-G/5L](#) [FCN-260C024-A/S3](#) [10148298-101LF](#) [10148112-101LF](#) [B7B-ZR](#) [1-1888321-](#)
[2](#) [1-1888321-3](#) [UPFS-4M08-00C6](#) [10137846-0010LF](#) [52370-2670](#) [171224-1013](#) [10031567-001C-TRLF](#)