

zilog[®]

A **Littelfuse** Company

ZNCL11 PIR Lens Product Specification

PS041401-0222



Warning: DO NOT USE IN LIFE SUPPORT

LIFE SUPPORT POLICY

ZILOG'S PRODUCTS ARE NOT AUTHORIZED FOR USE AS CRITICAL COMPONENTS IN LIFE SUPPORT DEVICES OR SYSTEMS WITHOUT THE EXPRESS PRIOR WRITTEN APPROVAL OF THE PRESIDENT AND GENERAL COUNSEL OF ZILOG CORPORATION.

As used herein

Life support devices or systems are devices which (a) are intended for surgical implant into the body, or (b) support or sustain life and whose failure to perform when properly used in accordance with instructions for use provided in the labeling can be reasonably expected to result in a significant injury to the user. A critical component is any component in a life support device or system whose failure to perform can be reasonably expected to cause the failure of the life support device or system or to affect its safety or effectiveness.

Document Disclaimer

©2022 by Zilog, Inc. All rights reserved. Information in this publication concerning the devices,

applications, or technology described is intended to suggest possible uses and may be superseded. ZILOG, INC. DOES NOT ASSUME LIABILITY FOR OR PROVIDE A REPRESENTATION OF ACCURACY OF THE INFORMATION, DEVICES, OR TECHNOLOGY DESCRIBED IN THIS DOCUMENT. ZILOG ALSO DOES NOT ASSUME LIABILITY FOR INTELLECTUAL PROPERTY INFRINGEMENT RELATED IN ANY MANNER TO USE OF INFORMATION, DEVICES, OR TECHNOLOGY DESCRIBED HEREIN OR OTHERWISE. The information contained within this document has been verified according to the general principles of electrical and mechanical engineering.

Z8, Z80, Z8 Encore!, Z8 Encore! XP and ZMOTION are trademarks or registered trademarks of Zilog, Inc. All other product or service names are the property of their respective owners.

Revision History

Each instance in this document's revision history reflects a change from its previous edition. For more details, refer to the corresponding page(s) or appropriate links furnished in the table below.

Date	Revision Level	Description	Pages
Feb. 2022	01	Original issue.	All

Overview

Zilog's Passive Infrared (PIR) lenses are designed to deliver high performance for the most demanding motion detection applications. Each lens is manufactured from high density polyethylene ensuring maximum IR transmissivity with well-defined beam patterns.

The ZNCL11 lens clips directly into the circuit board (PCB) over a TO-5 package PIR sensor, greatly simplifying the mechanical design.

Available in black color, the lens works with dual element PIR sensors and provides 32 detection zones ideal for room occupancy detection and appliance/HVAC power management. It is also suitable as a presence detector for keypad backlights.

Features

- High density polyethylene construction
- Black color to blend with product design
- Simple mounting – clips directly into PCB over TO-5 package PIR sensor

Applications

- Room occupancy sensing
- Appliance and HVAC power control
- Keypad presence detection



Figure 1 - ZNCL11 PIR Lens

Ordering Information

Part Number	Features	Typical Applications
ZNCL11	Wall/Ceiling Mount Array 104° (X), 37° (Y) detection area 32 detection zones 4m range Recommended PIR Sensor: Dual Element	Room Occupancy and Proximity Sensing Room occupancy sensing Appliance and HVAC control Keypad/display presence detection Product display's

Len Material

High Density Polyethylene (HDPE)

Lens Color

ZNC11 – Black

Environmental Characteristics

- 1) Operating temperature: -20°C to +70°C
- 2) Storage temperature: -25°C to +75°C

Mechanical Dimensions

The figure below **Error! Reference source not found.** shows the mechanical dimensions for the ZNCL11 lens. All dimensions are in mm.




Figure 2 - ZNCL11 Dimensions

Beam Patterns

ZNCL11 beam patterns are shown in the following figure using dual and quad element PIR sensors. All dimensions are in meters.

ZNCL11
XY Axis
Dual Element PIR
Element Size: 2mm x 1mm: 1mm gap




Figure 3 – ZNCL11 Detection Area with Dual Element PIR

Related Documents

The documents associated with the ZNCL11 PIR lens are listed below. Each of these documents, and others can be obtained from the [ZMOTION Product Page](#) on the Zilog website: <http://www.zilog.com>.

Document Number	Description
PB0264	PIR Lens Product Brief
PB0258	ZMOTION MCU Product Brief
PS0263	PIR Sensor Product Brief

Customer Support

To share comments, get your technical questions answered, or report issues you may be experiencing with our products, please visit Zilog's [Technical Support](#) page.

This publication is subject to replacement by a later edition. To determine whether a later edition exists, please visit the Zilog website at <http://www.zilog.com>.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Sensor Fixings & Accessories](#) category:

Click to view products by [ZiLOG](#) manufacturer:

Other Similar products are found below :

[8000-5130](#) [R4](#) [PBT420-100R](#) [SS-12143](#) [STA12](#) [AP4-T](#) [R6](#) [D01051301](#) [43912557-020](#) [D01070602](#) [606072](#) [606075](#) [28810-2](#) [ZX-SW11E](#)
[V3](#) [T63353](#) [32043-625](#) [SS-12225](#) [PH-2-60M](#) [ZS-SW11V3E](#) [STE-1042609RFRC](#) [STE-1186763RFM4](#) [76002066](#) [C115](#) [E02](#) [041](#) [G1](#) [C115](#)
[E05](#) [041](#) [G1](#) [SA9Z-S07PN02](#) [ECT18-WELL](#) [79450811](#) [T18908](#) [P2435.3](#) [AS7030B_WRISTBAND](#) [AS7038GB_WRISTBAND](#) [51001R](#)
[11027667-00](#) [XUZD15](#) [ROTATEKNOB3D2GOKITTOBO1](#) [1410RFT 6-12V AC/DC](#) [1411RFT-24V DC](#) [1420RFW 12-24V AC/DC](#)
[1420RFW 6-12V AC/DC](#) [1428 24-48V AC/DC](#) [1428RF 12-24V AC/DC](#) [1428RF 24-48V AC/DC](#) [1448RF 12-24V AC/DC](#) [1448RF 24-48V](#)
[AC/DC](#) [1448RFT 12-24V AC/DC](#) [1510 12-24V AC/DC](#) [1743 6-12V AC/DC](#) [1743BB 12-24V DC](#) [1748 12-24V AC/DC](#) [1748 24-48V](#)
[AC/DC](#)