

4 Port USB C Hub with 4 USB Type-A Ports (USB 3.0 SuperSpeed 5Gbps) - 60W Power Delivery
Passthrough Charging - USB 3.2 Gen 1 Laptop Hub Adapter - MacBook, Dell

Product ID: HB30C4AFPD



This compact USB 3.2 Gen 1 hub lets you add four USB-A ports to your laptop, with support for USB power delivery. This means that you can power and charge your laptop through its USB-C port while simultaneously powering the hub.

With its integrated USB Type-C cable and small-footprint design, this versatile hub offers a perfectly portable solution for connecting devices that require traditional USB Type-A ports to your USB-C or Thunderbolt 3 equipped computer.

With its compact and rugged design, you can take this portable USB 3.2 Gen 1 hub anywhere you go. Because it's so compact, it's easy to tuck into your laptop bag and only takes up a small amount of desk space when you connect it to your workstation. For portable applications, having the integrated host (USB-C) cable means one less thing to remember to carry with you.

This USB-C 3.2 Gen 1 hub supports USB Power Delivery 2.0 pass-through up to 60W to power and charge your laptop. Now, instead of carrying multiple cables and power adapters, you can use your laptop's USB-C power adapter to power both your laptop and the hub. By using just a single power adapter instead of two, you can eliminate clutter and hassle when you work.

This USB hub is multi-platform compatible, which means it will work with a wide range of USB-C laptops that use a USB-C power adapter. It also works with a range of operating systems such as Windows, macOS, Linux and Chrome OS. It installs automatically once you connect it to your laptop, so you can be up and running in seconds.

The HB30C4AFPD is backed by a StarTech.com 2-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility



Applications

- Carry the hub with you while you're traveling, to connect virtually any USB peripheral to your laptop wherever you go
- Power both the hub and your laptop simultaneously, using your laptop's USB-C based power adapter
- Use the USB-C port on your port-limited laptop, Ultrabook, Chromebook Pixel, or MacBook to expand your connection options by adding extra USB-A ports

Features

- **USB-C to USB-A HUB WITH POWER DELIVERY:** USB 5Gbps Type-C host to 4x USB-A ports w/ this USB 3.2 Gen 1 SuperSpeed hub; 60W Power Delivery (PD) Passthrough charging
- **POWER AND CHARGE YOUR LAPTOP:** With Power Delivery 2.0 pass-through (up to 60W) power & charge laptop and this hub when used w/ your USB-C laptop power adapter; 7.4W reserved for hub/downstream ports
- **COMPACT & PORTABLE:** A light weight hub with durable plastic housing; 5.9 in (15 cm) attached USB-C host cable and small form factor housing [3.7 in (93 mm) x 1.6 in (40 mm) x 0.4 in (1.1 cm)]
- **WIDE OPERATING SYSTEM COMPATIBILITY:** Automatic install, driverless setup & supports major operating systems including Windows, macOS, Linux, iPadOS, Chrome OS and Android; Works w/ USB 2.0/1.1
- **STARTECH.COM ADVANTAGE:** IT professionals choice for over 30 years; This 4 Port USB C Hub is backed for 2-years by StarTech.com, including free 24/5 North America based multi-lingual tech support

Hardware

Warranty	2 Years
USB-C Device Port(s)	USB Power Delivery
USB-C Host Connection	Yes
Fast-Charge Port(s)	No
Ports	4
Interface	USB 3.2 Gen 1 (5Gbps)
Bus Type	USB 3.2 Gen 1 (5Gbps)

	Industry Standards	USB 3.0 - Backward compatible with USB 2.0 and 1.1
	Chipset ID	VIA/VLI - VL100 VIA/VLI - VL817S
Performance		
	Maximum Data Transfer Rate	5 Gbps (USB 3.2 Gen 1)
	Type and Rate	USB 3.2 Gen 1 - 5 Gbit/s
	MTBF	104,128 Hours
Connector(s)		
	Connector Type(s)	1 - USB 3.2 Type-C (24 pin, Gen 1, 5Gbps) 4 - USB Type-A (9 pin, 5 Gbps) 1 - USB 3.2 Type-C (24 pin, Gen 1, 5Gbps)
Software		
	OS Compatibility	OS Independent; No additional drivers or software required
Special Notes / Requirements		
	System and Cable Requirements	Available USB Type-C port - USB 3.0 (5Gbps) (to ensure the hub powers and charges you laptop, your host laptop's USB-C port must support USB Power Delivery 2.0) Optional: USB-C power adapter (for example, your laptop's USB-C based power adapter)
	Note	The hub's USB-C port is for USB Power Delivery only. It does not support DisplayPort alt mode, or data transfers. Not all USB-C ports support the full functionality of the USB Type-C standard. Ensure that your host laptop's USB-C port supports USB Power Delivery 2.0 The hub can connect to a host laptop's USB-C port that doesn't support USB Power Delivery 2.0. However, in this configuration if a power adapter is connected to the hub, it will not pass power through to your host laptop. USB 3.0 is also known as USB 3.1 Gen 1; this connectivity standard offers speeds up to 5Gbps.
Power		

Power Source	USB-Powered
Power Delivery	60W
Output Voltage	5 DC

Environmental

Operating Temperature	0C to 45C (32F to 113F)
Storage Temperature	-10C to 70C (14F to 158F)
Humidity	10~90% RH (Non-Condensing)

Physical Characteristics

Color	Black
Form Factor	Compact
Material	Plastic
Cable Length	5.9 in [15 cm]
Product Length	3.7 in [9.3 cm]
Product Width	1.6 in [4.0 cm]
Product Height	0.4 in [1.1 cm]
Weight of Product	1.5 oz [42.0 g]

Packaging Information

Package Quantity	1
Package Length	5.7 in [14.4 cm]
Package Width	6.9 in [17.4 cm]
Package Height	1.3 in [3.3 cm]
Shipping (Package) Weight	3.8 oz [108.0 g]

What's in the Box

Included in Package	1 - USB-C hub
	1 - quick-start guide

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Interface Modules](#) category:

Click to view products by [Startech](#) manufacturer:

Other Similar products are found below :

[9441560000](#) [73-546-001](#) [ADAM-4541-C](#) [USB-CARD-READER](#) [USB-RS485](#) [USB-SATA](#) [TD501D232H](#) [RSM232D](#) [TD502D232H](#) [RS232](#)
[TO RS485](#) [TD302D232H](#) [TD501D232H](#) [RSM232](#) [RSM232D](#) [TD301D232H](#) [TD302D232H](#) [TD502D232H](#) [SAVAK-58](#) [SAVKABELCL-24](#)
[20270](#) [20294](#) [30255](#) [50260](#) [20295](#) [20277](#) [50261](#) [EUR0001H](#) [ZHB2301G](#) [30346](#) [KS-308A](#) [KS-302A](#) [KS-304A](#) [KS-1041UA](#) [KS-1021UA](#)
[CEHBB](#) [66255](#) [50985](#) [4000-68512-0940003](#) [GPS50M](#) [2200002208](#) [4000-68112-1220000](#) [44110](#) [4000-68000-1300000](#) [4000-68512-4040001](#)
[446139](#) [60004-006](#) [2200002207](#) [1020882](#) [1021056](#) [1021058](#)